

Asthma Referenzen



Asthma Diagnose und Therapie

Evidenzbasierte Leitlinie zu Diagnose und Therapie.
Entwickelt durch das medizinische Wissensnetzwerk "evidence.de" der Universität Witten/Herdecke

Version 01/2004

Referenzen

1. Controlled trial of the effects of cortisone acetate in status asthmaticus. Report to the Medical Research Council by the sub committee on clinical trials in. *Lancet*, 1956. 2: p. 803-6.
Evidenzklasse: IIa
Link:
2. Accuracy of death certificates in bronchial asthma. Accuracy of certification procedures during the confidential inquiry by the British Thoracic Association. A subcommittee of the BTA Research Committee. *Thorax*, 1984. 39(7): p. 505-9.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6463930
3. International consensus report on diagnosis and treatment of asthma. National Heart, Lung, and Blood Institute, National Institutes of Health. Bethesda, Maryland 20892. Publication no. 92-3091, March 1992. *Eur Respir J*, 1992. 5(5): p. 601-41.
Evidenzklasse: Link:
4. Why mothers die 1997-1999. the fifth report of the confidential enquiries into maternal deaths in the United Kingdom 1997-1999, ed. G. Lewis. 2001, London: RCOG Press.
Evidenzklasse: III
Link:
5. AAAAAI and Allergy, Committee on, Practice parameters for the diagnosis and treatment of asthma. Joint Task Force on Practice Parameters, representing the American Academy of Allergy Asthma and Immunology, the American College of Allergy, Asthma and Immunology, and the Joint Council of Allergy, Asthma and Immunology. *J Allergy Clin Immunol*, 1995. 96(5 Pt 2): p. 707-870.
Evidenzklasse: nicht bewertet
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7494078
6. Abdulwadud, O., et al., Attendance at an asthma educational intervention: characteristics of participants and non-participants. *Respir Med*, 1997. 91(9): p. 524-9.
Evidenzklasse: Ib
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9415352
7. Aberg, N. and Engstrom, I., Natural history of allergic diseases in children. *Acta Paediatr Scand*, 1990. 79(2): p. 206-11.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2321483
8. Abramson, M. J., et al., Are asthma medications and management related to deaths from asthma? *Am J Respir Crit Care Med*, 2001. 163(1): p. 12-8.
Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11208619

9. Abramson, M., Puy, R., and Weiner, J., Immunotherapy in asthma: an updated systematic review. *Allergy*, 1999. 54(10): p. 1022-41.

Evidenzklasse: Ia

Link:

10. Abramson, MJ, Puy, RM, and Weiner, JM, Allergen immunotherapy for asthma (Cochrane review). *The Cochrane Library*, 2001(3).

Evidenzklasse: Ia

Link:

11. Abulhosn, R. S., et al., Passive smoke exposure impairs recovery after hospitalization for acute asthma. *Arch Pediatr Adolesc Med*, 1997. 151(2): p. 135-9.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9041867

12. ACOG and ACAAI, The use of newer asthma and allergy medications during pregnancy. *The American College of Obstetricians and Gynecologists (ACOG) and The American College of Allergy, Asthma and Immunology (ACAAI). Ann Allergy Asthma Immunol*, 2000. 84(5): p. 475-80.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10830999

13. Adams, N., Bestall, J., and Jones, P., Inhaled beclomethasone at different doses for long-term asthma. *Cochrane Database Syst Rev*, 2003. 2.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11279769

#

14. Adams, N., Bestall, J., and Jones, P., Inhaled beclomethasone versus placebo for chronic asthma (Cochrane Review). *Cochrane Library*, 2003(2).

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11279769

15. Adams, N., Bestall, J., and Jones, P. W., Inhaled fluticasone propionate for chronic asthma. *Cochrane Database Syst Rev*, 2003. 2.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11687040

16. Adams, N., Cates, C., and Bestall, J., Holding chambers versus nebulisers for inhaled steroids in chronic asthma. (Cochrane Review). *The Cochrane Library*, 2003(2).

Evidenzklasse: Ia

Link:

17. Adams, R.J., Smith, B., and Ruffin, R.E., Impact of the physician's participatory style in asthma outcomes and patient satisfaction. *Ann Allergy Asthma Immunol*, 2001. 86: p. 263-71.

Evidenzklasse: Link:

18. AEZQ and Qualitätssicherung, Ärztliche Zentralstelle, Stellungnahme zur Anfrage des Sachverständigenrates für die Konzertierte Aktion im Gesundheitswesen. 2000.

Evidenzklasse: IV

Link: <http://www.svr-gesundheit.de/befragung/id-nummern/018.pdf>

19. Agertoft, L. and Pedersen, S., Effects of long-term treatment with an inhaled corticosteroid on growth and pulmonary function in asthmatic children. *Respir Med*, 1994. 88(5): p. 373-81.

Evidenzklasse: IIa

Link:

20. AHCPR, Merkel, S. L., and Van Meter, M. J., AHCPR guideline: pain management. *Ohio Nurses Rev*, 1993. 68(2): p. 12.
Evidenzklasse: nicht bewertet
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8469514
21. AKDAE and Ärzteschaft, Arzneimittelkommission der dt., Empfehlungen zur Therapie des Asthma bronchiale im Erwachsenenalter. AVP-Sonderheft Therapieempfehlungen, 1. Auflage, September 2001, 2001.
Evidenzklasse: Link:
22. Alcock, S. M., et al., Symptoms and pulmonary function in asthma. *Respir Med*, 1998. 92(6): p. 849-57.
Evidenzklasse: IV
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9850369
23. Allen, R. M., Jones, M. P., and Oldenburg, B., Randomised trial of an asthma self-management programme for adults. *Thorax*, 1995. 50(7): p. 731-8.
Evidenzklasse: Ib
Link:
24. Anastasatu, C., Dutu, S., and Morgenstern, H., Possibilities of reducing the efficient dose of fenoterol by combining it with ipratropiumbromide in bronchial asthma. *Prax Klin Pneumol*, 1983. 37 Suppl 1: p. 929-30.
Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=6227884
25. Anderson, H. R., Pottier, A. C., and Strachan, D. P., Asthma from birth to age 23: incidence and relation to prior and concurrent atopic disease. *Thorax*, 1992. 47(7): p. 537-42.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1412098
26. Arad, I. and Landau, H., Adrenocortical reserve of neonates born of long-term, steroid-treated mothers. *Eur J Pediatr*, 1984. 142(4): p. 279-80.
Evidenzklasse: IIa
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6092089
27. Arif, A. A., et al., Prevalence and risk factors of asthma and wheezing among US adults: an analysis of the NHANES III data. *Eur Respir J*, 2003. 21(5): p. 827-33.
Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12765429
28. Arm, J. P., et al., The effects of dietary supplementation with fish oil lipids on the airways response to inhaled allergen in bronchial asthma. *Am Rev Respir Dis*, 1989. 139(6): p. 1395-400.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2543246
29. Asher, M. I. and Weiland, S. K., The International Study of Asthma and Allergies in Childhood (ISAAC). ISAAC Steering Committee. *Clin Exp Allergy*, 1998. 28 Suppl 5: p. 52-66; discussion 90-1.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9988448
30. Atherton, M., Outcome measures of efficiency associated with a web-enabled asthma self-management programme: findings from a quasi-experiment. *Dis Manag Health Outcomes*, 2000. 8: p. 233-42.
Evidenzklasse: IIb
Link:
31. Austin, J. B., et al., Hay fever, eczema, and wheeze: a nationwide UK study (ISAAC, international study of asthma and allergies in childhood). *Arch Dis Child*, 1999. 81(3): p. 225-30.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10451395

32. Ayres, J. G. and Campbell, L. M., A controlled assessment of an asthma self-management plan involving a budesonide dose regimen. OPTIONS Research Group. Eur Respir J, 1996. 9(5): p. 886-92.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8793447

33. ÄZQ, Leitlinien-Clearingverfahren Asthma bronchiale. 2002.

Evidenzklasse: Link: <http://www.leitlinien.de/clearingverfahren/clearingberichte/asthma>

34. ÄZQ and Qualitätssicherung, Ärztliche Zentralstelle für, Leitlinienbericht Asthma bronchiale. 2002.

Evidenzklasse: Link: <http://www.leitlinien.de/clearingverfahren/clearingberichte/asthma>

35. Baena-Cagnani, C. E., et al., Comparative effects of desloratadine versus montelukast on asthma symptoms and use of beta 2-agonists in patients with seasonal allergic rhinitis and asthma. Int Arch Allergy Immunol, 2003. 130(4): p. 307-13.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12740532

36. Bailey, W. C., et al., Asthma self-management: do patient education programs always have an impact? Arch Intern Med, 1999. 159(20): p. 2422-8.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10665890

37. Baker, J., Am J Respir Crit Care Med, 1998. 157: A406.

Evidenzklasse: Link:

38. Barbato, A., et al., Asthma prevalence and drug prescription in asthmatic children. Allerg Immunol (Paris), 2003. 35(2): p. 47-51.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12674038

39. Barbee, R. A. and Murphy, S., The natural history of asthma. J Allergy Clin Immunol, 1998. 102(4 Pt 2): p. S65-72.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9798724

40. Barnes, P. J., Poorly perceived asthma. Thorax, 1992. 47(6): p. 408-9.

Evidenzklasse: Link:

41. Barnes, P. J. and Pauwels, R. A., Theophylline in the management of asthma: time for reappraisal? Eur Respir J, 1994. 7(3): p. 579-91.

Evidenzklasse: IV

Link:

42. Barnett, P. L., et al., Intravenous versus oral corticosteroids in the management of acute asthma in children. Ann Emerg Med, 1997. 29(2): p. 212-7.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9018184

43. Barr, R. G., et al., Sudden-onset asthma exacerbations: clinical features, response to therapy, and 2-week follow-up. Multicenter Airway Research Collaboration (MARC) investigators. Eur Respir J, 2000. 15(2): p. 266-73.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10706490

44. Barritt, P. W. and Staples, E. B., Measuring success in asthma care: a repeat audit. *Br J Gen Pract*, 1991. 41(347): p. 232-6.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1931201

45. Bateman, J. R. and Clarke, S. W., Sudden death in asthma. *Thorax*, 1979. 34(1): p. 40-4.

Evidenzklasse: IV

Link:

46. Beamon, S., et al., Speleotherapy for asthma. *Cochrane Database Syst Rev*, 2001. 2.

Evidenzklasse: Link: [http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?](http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=11406004)

[db=m&form=6&dopt=r&uid=11406004](http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=11406004)

47. Beasley, R., Cushley, M., and Holgate, S. T., A self management plan in the treatment of adult asthma. *Thorax*, 1989. 44(3): p. 200-4.

Evidenzklasse: III

Link:

48. Becker, A. B., Nelson, N. A., and Simons, F. E., Inhaled salbutamol (albuterol) vs injected epinephrine in the treatment of acute asthma in children. *J Pediatr*, 1983. 102(3): p. 465-9.

Evidenzklasse: IIa

Link:

49. Becker, A. B. and Simons, F. E., Formoterol, a new long-acting selective beta 2-adrenergic receptor agonist: double-blind comparison with salbutamol and placebo in children with asthma. *J Allergy Clin Immunol*, 1989. 84(6 Pt 1): p. 891-5.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2574732

50. Becker, J. M., et al., Oral versus intravenous corticosteroids in children hospitalized with asthma. *J Allergy Clin Immunol*, 1999. 103(4): p. 586-90.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10200005

51. Beilby, J. J., Wakefield, M. A., and Ruffin, R. E., Reported use of asthma management plans in South Australia. *Med J Aust*, 1997. 166(6): p. 298-301.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9087186

52. Belamarich, P. F., et al., Do obese inner-city children with asthma have more symptoms than nonobese children with asthma? *Pediatrics*, 2000. 106(6): p. 1436-41.

Evidenzklasse: Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11099600)

[cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11099600](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11099600)

53. Bentur, L., et al., Controlled trial of nebulized albuterol in children younger than 2 years of age with acute asthma. *Pediatrics*, 1992. 89(1): p. 133-7.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1727998

54. Berg, J., Dunbar-Jacob, J., and Sereika, S. M., An evaluation of a self-management program for adults with asthma. *Clin Nurs Res*, 1997. 6(3): p. 225-38.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9281927

55. Bernard-Bonnin, A. C., et al., Self-management teaching programs and morbidity of pediatric asthma: a meta-analysis. *J Allergy Clin Immunol*, 1995. 95(1 Pt 1): p. 34-41.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7822662

56. Beveridge, R. C., et al., Guidelines for the emergency management of asthma in adults. CAEP/CTS Asthma Advisory Committee. Canadian Association of Emergency Physicians and the Canadian Thoracic Society. *Cmaj*, 1996. 155(1): p. 25-37.

Evidenzklasse: nicht bewertet

Link:

57. Bhagat, R., et al., Rapid onset of tolerance to the bronchoprotective effect of salmeterol. *Chest*, 1995. 108(5): p. 1235-9.

Evidenzklasse: Ib

Link:

58. Bien, J. P., et al., Intravenous theophylline in pediatric status asthmaticus. A prospective, randomized, double-blind, placebo-controlled trial. *Clin Pediatr (Phila)*, 1995. 34(9): p. 475-81.

Evidenzklasse: Ib

Link:

59. Blair, H., Natural history of childhood asthma. 20-year follow-up. *Arch Dis Child*, 1977. 52(8): p. 613-9.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=921306

60. Blumberg, M. Z., Morphine for severe asthma? *N Engl J Med*, 1973. 288(1): p. 50.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4681905

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4681905

61. Blume and ZL-Expertentreffen., H (Hrsg.) 6., Bioäquivalenzbewertung retardierter Theophyllin-Fertigarzneimittel. 1990, Frankfurt: Govi-Verlag,.

Evidenzklasse: Link:

62. Boldy, D. A. and Ayres, J. G., Nedocromil sodium and sodium cromoglycate in patients aged over 50 years with asthma. *Respir Med*, 1993. 87(7): p. 517-23.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8265839

63. Bosley, C. M., Fosbury, J. A., and Cochrane, G. M., The psychological factors associated with poor compliance with treatment in asthma. *Eur Respir J*, 1995. 8(6): p. 899-904.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7589375

64. Bosley, C. M., Parry, D. T., and Cochrane, G. M., Patient compliance with inhaled medication: does combining beta-agonists with corticosteroids improve compliance? *Eur Respir J*, 1994. 7(3): p. 504-9.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8013609

65. Boulet, L. P., et al., Canadian Asthma Consensus Report, 1999. Canadian Asthma Consensus Group. *Cmaj*, 1999. 161(11 Suppl): p. S1-61.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10906907

66. Boulet, L. P., et al., 1998 revision of the Canadian Asthma Consensus Guidelines. Asthma Consensus Conference Editorial Committee. *Can Respir J*, 1999. 6(3): p. 231-2.

Evidenzklasse: nicht bewertet

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10393284

67. Boulet, L. P., Turcotte, H., and Tennina, S., Comparative efficacy of salbutamol, ipratropium, and cromoglycate in the prevention of bronchospasm induced by exercise and hyperosmolar challenges. *J Allergy Clin Immunol*, 1989. 83(5): p. 882-7.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=2523921

68. Braunstein, G. L., Trinquet, G., and Harper, A. E., Compliance with nedocromil sodium and a nedocromil sodium/salbutamol combination. Compliance Working Group. *Eur Respir J*, 1996. 9(5): p. 893-8.

Evidenzklasse: IIa

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8793448

69. Brenner, B. and Kohn, M. S., The acute asthmatic patient in the ED: to admit or discharge. *Am J Emerg Med*, 1998. 16(1): p. 69-75.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9451319

70. British-Thoracic-Association, Death from asthma in two regions of England. *BMJ*, 1982. 285: p. 1251-5.

Evidenzklasse: Link:

71. British-Thoracic-Society, Guidelines for management of asthma in adults: II--Acute severe asthma. Statement by the British Thoracic Society, Research Unit of the Royal College of Physicians of London, King's Fund Centre, National Asthma Campaign. *Bmj*, 1990. 301(6755): p. 797-800.

Evidenzklasse: nicht bewertet

Link:

72. British-Thoracic-Society, Guidelines on the management of asthma. Statement by the British Thoracic Society, the Brit. Paediatric Association, the Research Unit of the Royal College of Physicians of London, the King's Fund Centre, the National Asthma Campaign, the Royal College of General Practitioners, the General Practitioners in Asthma Group, the Brit. Assoc. of Accident and Emergency Medicine, and the Brit. Paediatric Respiratory Group. *Thorax*, 1993. 48(2 Suppl): p. S1-24.

Evidenzklasse: nicht bewertet

Link:

73. British-Thoracic-Society, The British Guidelines on Asthma Management. *Thorax*, 1997. 52 Suppl 1: p. S1-21.

Evidenzklasse: nicht bewertet

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9093330

74. British-Thoracic-Society, Current best practice for nebuliser treatment. British Thoracic Society Nebulizer Project Group. *Thorax*, 1997. 52 Suppl 2: p. S1-3.

Evidenzklasse: nicht bewertet

Link:

75. British-Thoracic-Society, National Asthma Campaign, Royal College of Physicians of London in association with the General Practitioners in Asthma Group, British Association of Accident and Emergency Medicine, British Paediatric Respiratory Society, Royal College of Paediatrics and Child Health.

The British guidelines on asthma management. 1995 review and position statement. *Thorax*, 1997. 52 (suppl 1): p. S1-S21.

Evidenzklasse: Link:

76. Britton, J., et al., Dietary magnesium, lung function, wheezing, and airway hyperreactivity in a random adult population sample. *Lancet*, 1994. 344(8919): p. 357-62.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7914305

77. Brocklebank, D., et al., Comparison of the effectiveness of inhaler devices in asthma and chronic obstructive airways disease: a systematic review of the literature. *Health Technol Assess*, 2001. 5(26): p. 1-149.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11701099

78. Brooke, A. M., et al., The natural history of respiratory symptoms in preschool children. *Am J Respir Crit Care Med*, 1995. 152(6 Pt 1): p. 1872-8.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8520749

79. Brooks, L. J., Cloutier, M. M., and Afshani, E., Significance of roentgenographic abnormalities in children hospitalized for asthma. *Chest*, 1982. 82(3): p. 315-8.

Evidenzklasse: III

Link:

80. Brophy, C., et al., How long should Atrovent be given in acute asthma? *Thorax*, 1998. 53(5): p. 363-7.

Evidenzklasse: Ib

Link: <http://www.ncbi.nlm.nih.gov/cgi-bin/Entrez/referer?http://www.thoraxjnl.com/cgi/content/full/53/5/363>

81. Browne, G. J., et al., Randomised trial of intravenous salbutamol in early management of acute severe asthma in children. *Lancet*, 1997. 349(9048): p. 301-5.

Evidenzklasse: Ib

Link:

82. Bryant, D. H., Nebulized ipratropium bromide in the treatment of acute asthma. *Chest*, 1985. 88(1): p. 24-9.

Evidenzklasse: Ib

Link:

83. Bryce, F. P., et al., Controlled trial of an audit facilitator in diagnosis and treatment of childhood asthma in general practice. *Bmj*, 1995. 310(6983): p. 838-42.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7711623

84. Bucknall, C. E., et al., Scottish Confidential Inquiry into Asthma Deaths (SCIAD), 1994-6. *Thorax*, 1999. 54(11): p. 978-84.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10525555

85. Bundgaard, A., Rasmussen, F. V., and Madsen, L., Pretreatment of exercise-induced asthma in adults with aerosols and pulverized tablets. *Allergy*, 1980. 35(8): p. 639-45.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=6452833

86. Burr, M. L., et al., A confidential inquiry into asthma deaths in Wales. *Thorax*, 1999. 54(11): p. 985-9.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10525556

87. Burr, M. L., Verrall, C., and Kaur, B., Social deprivation and asthma. *Respir Med*, 1997. 91(10): p. 603-8.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9488893

88. Busse, W. W., et al., Efficacy response of inhaled beclomethasone dipropionate in asthma is proportional to dose and is improved by formulation with a new propellant. *J Allergy Clin Immunol*, 1999. 104(6): p. 1215-22.

Evidenzklasse: Ib

Link:

89. Bustos, G. J., Bustos, D., and Romero, O., Prevention of asthma with ketotifen in preasthmatic children: a three- year follow-up study. *Clin Exp Allergy*, 1995. 25(6): p. 568-73.
Evidenzklasse: Ib
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7648464

90. Calpin, C., et al., Effectiveness of prophylactic inhaled steroids in childhood asthma: a systemic review of the literature. *J Allergy Clin Immunol*, 1997. 100(4): p. 452-7.
Evidenzklasse: Ia
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9338536

91. Cambach, W., et al., The long-term effects of pulmonary rehabilitation in patients with asthma and chronic obstructive pulmonary disease: a research synthesis. *Arch Phys Med Rehabil*, 1999. 80(1): p. 103-11.
Evidenzklasse: Ia
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9915381

92. Campaign, National Asthma, Asthma Management Handbook. 1998.
Evidenzklasse: IV
Link: <http://www.nationalasthma.org.au/publications.html>

93. Campbell, M. J., et al., Age specific trends in asthma mortality in England and Wales, 1983-95: results of an observational study. *Bmj*, 1997. 314(7092): p. 1439-41.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9167558

94. Carey, O. J., et al., The effect of lifestyle on wheeze, atopy, and bronchial hyperreactivity in Asian and white children. *Am J Respir Crit Care Med*, 1996. 154(2 Pt 1): p. 537-40.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8756835

95. Carruthers, D. M. and Harrison, B. D., Arterial blood gas analysis or oxygen saturation in the assessment of acute asthma? *Thorax*, 1995. 50(2): p. 186-8.
Evidenzklasse: III
Link:

96. Carswell, F., et al., A Bristol experience: benefits and cost of an 'asthma nurse' visiting the homes of asthmatic children. *Bristol Med Chir J*, 1989. 104(1): p. 11-2.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2507092

97. Carter, M. C., et al., Home intervention in the treatment of asthma among inner-city children. *J Allergy Clin Immunol*, 2001. 108(5): p. 732-7.
Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11692097

98. Cates, C. J., Adams, N., and Bestall, J., Holding chambers versus nebulisers for inhaled steroids in chronic asthma. *Cochrane Database Syst Rev*, 2001. 2.
Evidenzklasse: Link: <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=11405994>

99. Cates, C. J., Rowe, B. H., and Bara, A., Holding chambers versus nebulisers for beta-agonist treatment of acute asthma (Cochrane Review). *The Cochrane Library*, 2001(3).
Evidenzklasse: Link:

100. Cates, C. J., Rowe, B. H., and Bara, A., Holding chambers versus nebulisers for beta-agonist treatment of acute asthma (Cochrane Review). *The Cochrane Library*, 2003(2).
Evidenzklasse: Ia

Link:

101.Celedon, J. C., et al., Day care attendance, respiratory tract illnesses, wheezing, asthma, and total serum IgE level in early childhood. Arch Pediatr Adolesc Med, 2002. 156(3): p. 241-5.
Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11876667

102.Chan-Yeung, M., et al., A randomized controlled study on the effectiveness of a multifaceted intervention program in the primary prevention of asthma in high-risk infants. Arch Pediatr Adolesc Med, 2000. 154(7): p. 657-63.
Evidenzklasse: Ib
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10891016

103.Chapman, K. R., et al., Effect of a short course of prednisone in the prevention of early relapse after the emergency room treatment of acute asthma. N Engl J Med, 1991. 324(12): p. 788-94.
Evidenzklasse: Ib
Link:

104.Charlton, I., et al., Evaluation of peak flow and symptoms only self management plans for control of asthma in general practice. Bmj, 1990. 301(6765): p. 1355-9.
Evidenzklasse: III
Link:

105.Charlton, I., et al., Audit of the effect of a nurse run asthma clinic on workload and patient morbidity in a general practice. Br J Gen Pract, 1991. 41(347): p. 227-31.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1931200

106.Cheung, D., et al., Long-term effects of a long-acting beta 2-adrenoceptor agonist, salmeterol, on airway hyperresponsiveness in patients with mild asthma. N Engl J Med, 1992. 327(17): p. 1198-203.
Evidenzklasse: Ib
Link:

107.Chinn, S., Obesity and asthma: evidence for and against a causal relation. J Asthma, 2003. 40(1): p. 1-16.
Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12699207

108.Chinn, S., Jarvis, D., and Burney, P., Relation of bronchial responsiveness to body mass index in the ECRHS. European Community Respiratory Health Survey. Thorax, 2002. 57(12): p. 1028-33.
Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12454296

109.Clancy, L. and Keogan, S., Treatment of nocturnal asthma with nedocromil sodium. Thorax, 1994. 49(12): p. 1225-7.
Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=7878557

110.Clark, N. M., et al., Impact of education for physicians on patient outcomes. Pediatrics, 1998. 101(5): p. 831-6.
Evidenzklasse: Ib
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9565410

111.Clark, N. M. and Nothwehr, F., Self-management of asthma by adult patients. Patient Educ Couns, 1997. 32(1 Suppl): p. S5-20.
Evidenzklasse: Ia
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9516756

112. Clarke, J. R., Salmon, B., and Silverman, M., Bronchial responsiveness in the neonatal period as a risk factor for wheezing in infancy. *Am J Respir Crit Care Med*, 1995. 151(5): p. 1434-40.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7735597

113. Closa, R. M., et al., Efficacy of bronchodilators administered by nebulizers versus spacer devices in infants with acute wheezing. *Pediatr Pulmonol*, 1998. 26(5): p. 344-8.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9859904

114. Clough, J. B., et al., Can we predict which wheezy infants will continue to wheeze? *Am J Respir Crit Care Med*, 1999. 160(5 Pt 1): p. 1473-80.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10556108

115. Cochrane, G. M., Acute severe asthma: oxygen and high dose beta agonist during transfer for all? *Thorax*, 1995. 50(1): p. 1-2.

Evidenzklasse: IV

Link:

116. Cochrane, G. M. and Clark, J. H., A survey of asthma mortality in patients between ages 35 and 64 in the Greater London hospitals in 1971. *Thorax*, 1975. 30(3): p. 300-5.

Evidenzklasse: III

Link:

117. Cochrane, G. M., Prior, J. G., and Wolff, C. B., Chronic stable asthma and the normal arterial pressure of carbon dioxide in hypoxia. *Br Med J*, 1980. 281(6242): p. 705-7.

Evidenzklasse: III

Link:

118. Cochrane, M. G., et al., Inhaled corticosteroids for asthma therapy: patient compliance, devices, and inhalation technique. *Chest*, 2000. 117(2): p. 542-50.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10669701

119. Coleridge, J., et al., Intravenous aminophylline confers no benefit in acute asthma treated with intravenous steroids and inhaled bronchodilators. *Aust N Z J Med*, 1993. 23(4): p. 348-54.

Evidenzklasse: Ib

Link:

120. Colland, V. T., Learning to cope with asthma: a behavioural self-management program for children. *Patient Educ Couns*, 1993. 22(3): p. 141-52.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8153036

121. committee-on-the-medical-effects-of-air-pollutants, asthma and outdoor air pollution. 1995, london: HMSO.

Evidenzklasse: Link:

122. Condemni, J. J., et al., The addition of salmeterol to fluticasone propionate versus increasing the dose of fluticasone propionate in patients with persistent asthma. Salmeterol Study Group. *Ann Allergy Asthma Immunol*, 1999. 82(4): p. 383-9.

Evidenzklasse: Ib

Link:

123. Connett, G. J. and Lenney, W., Use of pulse oximetry in the hospital management of acute asthma in

childhood. *Pediatr Pulmonol*, 1993. 15(6): p. 345-9.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8337012

124. Connett, G. J., et al., Prednisolone and salbutamol in the hospital treatment of acute asthma. *Arch Dis Child*, 1994. 70(3): p. 170-3.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8135557

125. Connolly, C. K., et al., Actual over best function as an outcome measure in asthma. *Respir Med*, 1994. 88(6): p. 453-9.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7938797

126. Cook, D. G. and Strachan, D. P., Health effects of passive smoking-10: Summary of effects of parental smoking on the respiratory health of children and implications for research. *Thorax*, 1999. 54(4): p. 357-66.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10092699

127. Cook, T. and Stone, G., Pediatric asthma--a correlation of clinical treatment and oxygen saturation. *Hawaii Med J*, 1995. 54(7): p. 665-8.

Evidenzklasse: III

Link:

128. Corren, J., et al., Nasal beclomethasone prevents the seasonal increase in bronchial responsiveness in patients with allergic rhinitis and asthma. *J Allergy Clin Immunol*, 1992. 90(2): p. 250-6.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=1500629

129. Corren, J., et al., Omalizumab, a recombinant humanized anti-IgE antibody, reduces asthma-related emergency room visits and hospitalizations in patients with allergic asthma. *J Allergy Clin Immunol*, 2003. 111(1): p. 87-90.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12532101

130. Cote, J., et al., Evaluation of two different educational interventions for adult patients consulting with an acute asthma exacerbation. *Am J Respir Crit Care Med*, 2001. 163(6): p. 1415-9.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11371411

131. Cote, J., et al., Influence on asthma morbidity of asthma education programs based on self-management plans following treatment optimization. *Am J Respir Crit Care Med*, 1997. 155(5): p. 1509-14.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9154850

132. Coughlan, J. L., Gibson, P. G., and Henry, R. L., Medical treatment for reflux oesophagitis does not consistently improve asthma control: a systematic review. *Thorax*, 2001. 56(3): p. 198-204.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11182012

133. Cowie, R. L., et al., The effect of a peak flow-based action plan in the prevention of exacerbations of asthma. *Chest*, 1997. 112(6): p. 1534-8.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9404750

134. Crompton, G. K., Nebulized or intravenous beta 2 adrenoceptor agonist therapy in acute asthma? *Eur*

Respir J, 1990. 3(2): p. 125-6.

Evidenzklasse: IV

Link:

135.Custovic, A., et al., Effect of environmental manipulation in pregnancy and early life on respiratory symptoms and atopy during first year of life: a randomised trial. *Lancet*, 2001. 358(9277): p. 188-93.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11476835

136.Custovic, A. and Woodcock, A., Clinical effects of allergen avoidance. *Clin Rev Allergy Immunol*, 2000. 18 (3): p. 397-419.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10981266

137.Cydulka, R. K., et al., Acute asthma among pregnant women presenting to the emergency department. *Am J Respir Crit Care Med*, 1999. 160(3): p. 887-92.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10471614

138.Czeizel, A. E. and Rockenbauer, M., Population-based case-control study of teratogenic potential of corticosteroids. *Teratology*, 1997. 56(5): p. 335-40.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9451758

139.Daugbjerg, P., et al., A comparison between nebulized terbutaline, nebulized corticosteroid and systemic corticosteroid for acute wheezing in children up to 18 months of age. *Acta Paediatr*, 1993. 82(6-7): p. 547-51.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8338988

140.Davidson, J. A. and Hosie, H. E., Limitations of pulse oximetry: respiratory insufficiency--a failure of detection. *Bmj*, 1993. 307(6900): p. 372-3.

Evidenzklasse: Link:

141.Day, A. C., Rankin, A. P., and Judson, J. A., Grading asthma severity: using the APS component of the Apache II system. *Intensive Care Med*, 1993. 19(4): p. 221-6.

Evidenzklasse: III

Link:

142.Demissie, K., Breckenridge, M. B., and Rhoads, G. G., Infant and maternal outcomes in the pregnancies of asthmatic women. *Am J Respir Crit Care Med*, 1998. 158(4): p. 1091-5.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9769265

143.Dennis, S. M., et al., Regular inhaled salbutamol and asthma control: the TRUST randomised trial. Therapy Working Group of the National Asthma Task Force and the MRC General Practice Research Framework. *Lancet*, 2000. 355(9216): p. 1675-9.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10905242

144.Department-of-Health, Why mothers die. Confidential enquiries into maternal deaths in the United Kingdom 1994-96. 1998, London: The Stationary office.

Evidenzklasse: Link:

145.Des Roches, A., et al., Immunotherapy with a standardized *Dermatophagoides pteronyssinus* extract. VI. Specific immunotherapy prevents the onset of new sensitizations in children. *J Allergy Clin Immunol*, 1997. 99 (4): p. 450-3.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9111487

146. Dezateux, C., et al., Impaired airway function and wheezing in infancy: the influence of maternal smoking and a genetic predisposition to asthma. *Am J Respir Crit Care Med*, 1999. 159(2): p. 403-10.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9927350

147. DIMDI, Auszug aus „Internationale statistische Klassifikation der Krankheiten und verwandter Gesundheitsprobleme in der 10. Revision (ICD-10)“ [ICD-10-SGB-V, Version 2.0], DIMDI, Editor. 2000.

Evidenzklasse: Link: www.dimdi.de

148. Djukanovic, R., et al., The effects of theophylline on mucosal inflammation in asthmatic airways: biopsy results. *Eur Respir J*, 1995. 8(5): p. 831-3.

Evidenzklasse: Ib

Link:

149. Dodge, R., et al., Early childhood respiratory symptoms and the subsequent diagnosis of asthma. *J Allergy Clin Immunol*, 1996. 98(1): p. 48-54.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8765817

150. Dombrowski, M. P., Brown, C. L., and Berry, S. M., Preliminary experience with triamcinolone acetonide during pregnancy. *J Matern Fetal Med*, 1996. 5(6): p. 310-3.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8972405

151. Dombrowski, M., Thom, E., and McNellis, D., Maternal-Fetal Medicine Units (MFMU) studies of inhaled corticosteroids during pregnancy. *J Allergy Clin Immunol*, 1999. 103(2 Pt 2): p. S356-9.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9949338

152. Dorward, A. J. and Patel, K. R., A comparison of ketotifen with clemastine, ipratropium bromide and sodium cromoglycate in exercise-induced asthma. *Clin Allergy*, 1982. 12(4): p. 355-61.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=6214337

153. Douglas, J. G., et al., Nebulised salbutamol without oxygen in severe acute asthma: how effective and how safe? *Thorax*, 1985. 40(3): p. 180-3.

Evidenzklasse: IIb

Link:

154. Drazen, J. M., et al., Comparison of regularly scheduled with as-needed use of albuterol in mild asthma. *Asthma Clinical Research Network. N Engl J Med*, 1996. 335(12): p. 841-7.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8778601

155. Droogan, J. and Bannigan, K., Organisation of asthma care: what difference does it make? *Nurs Times*, 1997. 93(34): p. 45-6.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9326030

156. D'Souza, W., et al., Community-based asthma care: trial of a "credit card" asthma self-management plan. *Eur Respir J*, 1994. 7(7): p. 1260-5.

Evidenzklasse: III

Link:

157. Ducharme, F. M. and Hicks, G. C., Anti-leukotriene agents compared to inhaled corticosteroids in the management of recurrent and/or chronic asthma in adults and children. Cochrane Database Syst Rev, 2002 (3): p. CD002314.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=1_2137655

158. Ducharme, F. M. and Kramer, M. S., Relapse following emergency treatment for acute asthma: can it be predicted or prevented? J Clin Epidemiol, 1993. 46(12): p. 1395-402.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8263566

159. Dyer, C. A., et al., Quality of life in elderly subjects with a diagnostic label of asthma from general practice registers. Eur Respir J, 1999. 14(1): p. 39-45.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10489827

160. Eccles, M., et al., Evidence-based guideline on the primary care management of asthma. Fam Pract, 2001. 18(2): p. 223-9.

Evidenzklasse: nicht bewertet

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11264277

161. Edelman, J. M., et al., Oral montelukast compared with inhaled salmeterol to prevent exercise-induced bronchoconstriction. A randomized, double-blind trial. Exercise Study Group. Ann Intern Med, 2000. 132(2): p. 97-104.

Evidenzklasse: Ib

Link:

162. Edelman, J. M., et al., Oral montelukast compared with inhaled salmeterol to prevent exercise-induced bronchoconstriction. A randomized, double-blind trial. Exercise Study Group. Ann Intern Med, 2000. 132(2): p. 97-104.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10644288

163. Edelson, J. D. and Rebeck, A. S., The clinical assessment of severe asthma. Arch Intern Med, 1985. 145(2): p. 321-3.

Evidenzklasse: III

Link:

164. Edmonds, M. L., et al., Early use of inhaled corticosteroids in the emergency department treatment of acute asthma. Cochrane Database Syst Rev, 2001. 1.

Evidenzklasse: Link: <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=11279763>

165. Edmonds, M. L., et al., Inhaled steroids in acute asthma following emergency department discharge. Cochrane Database Syst Rev, 2000. 3.

Evidenzklasse: Link: <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=10908556>

166. Edmonds, M. L., et al., Inhaled steroids in acute asthma following emergency department discharge (Cochrane Review). Cochrane Database Syst Rev, 2001(3).

Evidenzklasse: Link: <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=10908556>

167. Eisenberg, J. D., Moe, E. L., and Stillger, C. F., Educating school personnel about asthma. J Asthma, 1993. 30(5): p. 351-8.

Evidenzklasse: III

Link:

168. Eisner, M. D., et al., Environmental tobacco smoke and adult asthma. The impact of changing exposure status on health outcomes. *Am J Respir Crit Care Med*, 1998. 158(1): p. 170-5.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9655725

169. Eldridge, F. and Gherman, C., Studies of oxygen administration in respiratory failure. *Ann Intern Med*, 1968. 68(3): p. 569-78.

Evidenzklasse: IIb

Link:

170. Emerman, C. L. and Cydulka, R. K., Effect of pulmonary function testing on the management of acute asthma. *Arch Intern Med*, 1995. 155(20): p. 2225-8.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7487245

171. Emerman, C. L., et al., Prospective multicenter study of relapse following treatment for acute asthma among adults presenting to the emergency department. MARC investigators. Multicenter Asthma Research Collaboration. *Chest*, 1999. 115(4): p. 919-27.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10208187

172. Engel, T., et al., Peak inspiratory flow and inspiratory vital capacity of patients with asthma measured with and without a new dry-powder inhaler device (Turbuhaler). *Eur Respir J*, 1990. 3(9): p. 1037-41.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2289551

173. Enright, P. L., et al., Underdiagnosis and undertreatment of asthma in the elderly. Cardiovascular Health Study Research Group. *Chest*, 1999. 116(3): p. 603-13.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10492260

174. Eschenbacher, W. L., et al., Morphine sulfate inhibits bronchoconstriction in subjects with mild asthma whose responses are inhibited by atropine. *Am Rev Respir Dis*, 1984. 130(3): p. 363-7.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6476586

175. Everard, M. L., et al., Anticholinergic drugs for wheeze in children under the age of two years. *Cochrane Database Syst Rev*, 2002. 1.

Evidenzklasse: Link: [http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?](http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=11869598)

[db=m&form=6&dopt=r&uid=11869598](http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=11869598)

176. Fanta, C. H., Rossing, T. H., and McFadden, E. R., Jr., Emergency room of treatment of asthma. Relationships among therapeutic combinations, severity of obstruction and time course of response. *Am J Med*, 1982. 72(3): p. 416-22.

Evidenzklasse: Ib

Link:

177. Fanta, C. H., Rossing, T. H., and McFadden, E. R., Jr., Glucocorticoids in acute asthma. A critical controlled trial. *Am J Med*, 1983. 74(5): p. 845-51.

Evidenzklasse: Ib

Link:

178. Farmer, I. S., et al., Therapeutic equivalence of inhaled beclomethasone dipropionate with CFC and non-CFC (HFA 134a) propellants both delivered via the Easibreathe inhaler for the treatment of paediatric asthma. *Respir Med*, 2000. 94(1): p. 57-63.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10714480

179.FDA and Administration, U. S. Food and Drug, Current Categories for Drug Use in Pregnancy. 2003.

Evidenzklasse: Link: <http://www.fda.gov>

180.Feder, G., et al., Do clinical guidelines introduced with practice based education improve care of asthmatic and diabetic patients? A randomised controlled trial in general practices in east London. *Bmj*, 1995. 311 (7018): p. 1473-8.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8520339

181.Fergusson, R. J., et al., Effectiveness of nebulised salbutamol administered in ambulances to patients with severe acute asthma. *Thorax*, 1995. 50(1): p. 81-2.

Evidenzklasse: III

Link:

182.Fiel, S. B., et al., Efficacy of short-term corticosteroid therapy in outpatient treatment of acute bronchial asthma. *Am J Med*, 1983. 75(2): p. 259-62.

Evidenzklasse: III

Link:

183.Finn, A., et al., Omalizumab improves asthma-related quality of life in patients with severe allergic asthma. *J Allergy Clin Immunol*, 2003. 111(2): p. 278-84.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12589345

184.Finnerty, J. P. and Holgate, S. T., Evidence for the roles of histamine and prostaglandins as mediators in exercise-induced asthma: the inhibitory effect of terfenadine and flurbiprofen alone and in combination. *Eur Respir J*, 1990. 3(5): p. 540-7.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=1695877

185.Fireman, P., et al., Teaching self-management skills to asthmatic children and their parents in an ambulatory care setting. *Pediatrics*, 1981. 68(3): p. 341-8.

Evidenzklasse: IIa

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6792585

186.Fitzsimons, R., Greenberger, P. A., and Patterson, R., Outcome of pregnancy in women requiring corticosteroids for severe asthma. *J Allergy Clin Immunol*, 1986. 78(2): p. 349-53.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3734287

187.Foresi, A., Morelli, M. C., and Catena, E., Low-dose budesonide with the addition of an increased dose during exacerbations is effective in long-term asthma control. On behalf of the Italian Study Group. *Chest*, 2000. 117(2): p. 440-6.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10669688

188.Fox, G. F., Marsh, M. J., and Milner, A. D., Treatment of recurrent acute wheezing episodes in infancy with oral salbutamol and prednisolone. *Eur J Pediatr*, 1996. 155(6): p. 512-6.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8789772

189.Freeman, J. and Landau, L. I., The effects of ipratropium bromide and fenoterol nebulizer solutions in children with asthma. *Clin Pediatr (Phila)*, 1989. 28(12): p. 556-60.

Evidenzklasse: Link: <http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?>

[cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=2_531051](#)

190.Frischer, T., et al., Relation between response to exercise and diurnal variability of peak expiratory flow in primary school children. *Thorax*, 1993. 48(3): p. 249-53.

Evidenzklasse: III

Link:

191.Gallefoss, F. and Bakke, P. S., How does patient education and self-management among asthmatics and patients with chronic obstructive pulmonary disease affect medication? *Am J Respir Crit Care Med*, 1999. 160(6): p. 2000-5.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10588620

192.Gallefoss, F. and Bakke, P. S., Impact of patient education and self-management on morbidity in asthmatics and patients with chronic obstructive pulmonary disease. *Respir Med*, 2000. 94(3): p. 279-87.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10783940

193.Garrett, J., et al., Peak expiratory flow meters (PEFMs)--who uses them and how and does education affect the pattern of utilisation? *Aust N Z J Med*, 1994. 24(5): p. 521-9.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7848156

194.Gdalevich, M., Mimouni, D., and Mimouni, M., Breast-feeding and the risk of bronchial asthma in childhood: a systematic review with meta-analysis of prospective studies. *J Pediatr*, 2001. 139(2): p. 261-6.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11487754

195.Geelhoed, G. C., Landau, L. I., and Le Souef, P. N., Evaluation of SaO₂ as a predictor of outcome in 280 children presenting with acute asthma. *Ann Emerg Med*, 1994. 23(6): p. 1236-41.

Evidenzklasse: III

Link:

196.Gershel, J. C., et al., The usefulness of chest radiographs in first asthma attacks. *N Engl J Med*, 1983. 309(6): p. 336-9.

Evidenzklasse: III

Link:

197.Gibson, P. G., et al., Self-management education and regular practitioner review for adults with asthma. (Cochrane Review). *The Cochrane Library*, 2001(2).

Evidenzklasse: Link: [http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?](http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=10796600)

[db=m&form=6&dopt=r&uid=10796600](#)

198.Gibson, P. G., et al., Asthma knowledge, attitudes, and quality of life in adolescents. *Arch Dis Child*, 1995. 73(4): p. 321-6.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7492196

199.Gibson, P. G., Shah, S., and Mamoon, H. A., Peer-led asthma education for adolescents: impact evaluation. *J Adolesc Health*, 1998. 22(1): p. 66-72.

Evidenzklasse: IIa

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9436069

200.Gibson, P. G. and Wilson, A. J., The use of continuous quality improvement methods to implement practice guidelines in asthma. *J Qual Clin Pract*, 1996. 16(2): p. 87-102.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8794399

201. Giles, G. G., et al., Respiratory symptoms in Tasmanian adolescents: a follow up of the 1961 birth cohort. *Aust N Z J Med*, 1984. 14(5): p. 631-7.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6597710

202. Gilliland, F. D., et al., Obesity and the risk of newly diagnosed asthma in school-age children. *Am J Epidemiol*, 2003. 158(5): p. 406-15.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12936895

203. Gilliland, F. D., et al., Maternal smoking during pregnancy, environmental tobacco smoke exposure and childhood lung function. *Thorax*, 2000. 55(4): p. 271-6.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10722765

204. *Ginasthma and ASTHMA, GLOBAL INITIATIVE FOR, A Practical Guide for Public Health Officials and Health Care Professionals*. NIH Publication No. 96-3659A, 1995.

Evidenzklasse: IV

Link:

205. Gleeson, J. G., Green, S., and Price, J. F., Air or oxygen as driving gas for nebulised salbutamol. *Arch Dis Child*, 1988. 63(8): p. 900-4.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3046513

206. Global Initiative for Asthma (GINA), Global strategy for asthma management and prevention. Publication No. 95-3659 ed. 1995, USA Bethesda: Weltgesundheitsorganisation (WHO) und National Institutes of Health (NIH), USA
NIH, NHLBI, 81: 61-66.

Evidenzklasse: IV

Link:

207. Godden, D. J., et al., Outcome of wheeze in childhood. Symptoms and pulmonary function 25 years later. *Am J Respir Crit Care Med*, 1994. 149(1): p. 106-12.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8111567

208. Goldberg, R., et al., Critical pathway for the emergency department management of acute asthma: effect on resource utilization. *Ann Emerg Med*, 1998. 31(5): p. 562-7.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9581139

209. Goldman, J. and Muers, M., Vocal cord dysfunction and wheezing. *Thorax*, 1991. 46(6): p. 401-4.

Evidenzklasse: IV

Link:

210. Gong, H., Jr., et al., Effects of oral cetirizine, a selective H1 antagonist, on allergen- and exercise-induced bronchoconstriction in subjects with asthma. *J Allergy Clin Immunol*, 1990. 85(3): p. 632-41.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=1968919

211. Goodman, D. C., et al., Theophylline in acute childhood asthma: a meta-analysis of its efficacy. *Pediatr Pulmonol*, 1996. 21(4): p. 211-8.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9121849

212. Gotzsche, P. C., Hammarquist, C., and Burr, M., House dust mite control measures in the management of asthma: meta-analysis. *Bmj*, 1998. 317(7166): p. 1105-10; discussion 1110.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9784442

213. Gotzsche, P. C., et al., House dust mite control measures for asthma. *Cochrane Database Syst Rev*, 2001. 2.

Evidenzklasse: Link: <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=11405979>

214. Graham, V. A., et al., Routine antibiotics in hospital management of acute asthma. *Lancet*, 1982. 1(8269): p. 418-20.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6121090

215. Graham, V., Lasserson, T., and Rowe, B. H., Antibiotics for acute asthma. *Cochrane Database Syst Rev*, 2001. 3.

Evidenzklasse: Link: <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=11687022>

216. Graham, V., Lasserson, T., and Rowe, B. H., Antibiotics for acute asthma. *Cochrane Database Syst Rev*, 2003. 2.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11687022

217. GRASSIC, Effectiveness of routine self monitoring of peak flow in patients with asthma. Grampian Asthma Study of Integrated Care (GRASSIC). *Bmj*, 1994. 308(6928): p. 564-7.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8148679

218. Greenberger, P. A., et al., Pharmacokinetics of prednisolone transfer to breast milk. *Clin Pharmacol Ther*, 1993. 53(3): p. 324-8.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8453851

219. Greenberger, P. A. and Patterson, R., Beclomethasone dipropionate for severe asthma during pregnancy. *Ann Intern Med*, 1983. 98(4): p. 478-80.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6838070

220. Greineder, D. K., Loane, K. C., and Parks, P., Reduction in resource utilization by an asthma outreach program. *Arch Pediatr Adolesc Med*, 1995. 149(4): p. 415-20.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7704170

221. Griffiths, C., et al., Prescribing and hospital admissions for asthma in east London. *Bmj*, 1996. 312(7029): p. 481-2.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8597680

222. Grimshaw, J. M. and Russell, I. T., Achieving health gain through clinical guidelines II: Ensuring guidelines change medical practice. *Qual Health Care*, 1994. 3(1): p. 45-52.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10136260

223.Groban, MD., et al., Clinical benefits and cost reduction associated with a comprehensive asthma management programme at a managed care organisation. *Dis Manag Health Outcomes*, 1998. 4: p. 93-100.
Evidenzklasse: Link:

224.Gross, N. J., Ipratropium bromide. *N Engl J Med*, 1988. 319(8): p. 486-94.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2970009

225.Gross, N. J. and Skorodin, M. S., Anticholinergic, antimuscarinic bronchodilators. *Am Rev Respir Dis*, 1984. 129(5): p. 856-70.

Evidenzklasse: IV

Link:

226.Gross, S. J., et al., Effect of preterm birth on pulmonary function at school age: a prospective controlled study. *J Pediatr*, 1998. 133(2): p. 188-92.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9709704

227.Gruskay, F. L., Comparison of breast, cow, and soy feedings in the prevention of onset of allergic disease: a 15-year prospective study. *Clin Pediatr (Phila)*, 1982. 21(8): p. 486-91.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7200847

228.Guldager, H., et al., [Acute asthma outside hospital. The predictive value of pulse oximetry in manifestation of respiratory insufficiency]. *Ugeskr Laeger*, 1995. 157(47): p. 6583-5.

Evidenzklasse: III

Link:

229.Haahtela, T., et al., Effects of reducing or discontinuing inhaled budesonide in patients with mild asthma. *N Engl J Med*, 1994. 331(11): p. 700-5.

Evidenzklasse: Ib

Link:

230.Haby, M. M., et al., Interventions for educating children who have attended the emergency room for asthma. *Cochrane Database Syst Rev*, 2001. 1.

Evidenzklasse: Link: <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=11279713>

231.Hackman, R. M., Stern, J. S., and Gershwin, M. E., Hypnosis and asthma: a critical review. *J Asthma*, 2000. 37(1): p. 1-15.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10724294

232.Halonen, M., et al., *Alternaria* as a major allergen for asthma in children raised in a desert environment. *Am J Respir Crit Care Med*, 1997. 155(4): p. 1356-61.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9105079

233.Harrison, B. D., et al., Need for intravenous hydrocortisone in addition to oral prednisolone in patients admitted to hospital with severe asthma without ventilatory failure. *Lancet*, 1986. 1(8474): p. 181-4.

Evidenzklasse: Ib

Link:

234.Harrison, B. D. and Swarbrick, E. T., Peak-flow percentage in asthma. *Lancet*, 1971. 2(7722): p. 492.
Evidenzklasse: Link:

235.Harrison, BDW., et al., Results of a national confidential enquiry into asthma deaths. *Asthma J*, 2000. 5: p. 180-6.
Evidenzklasse: Link:

236.Hartley, J. P. and Davies, B. H., Cholinergic blockade in the prevention of exercise-induced asthma. *Thorax*, 1980. 35(9): p. 680-5.
Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=6449753

237.Hatton, M. Q., et al., A comparison of 'abruptly stopping' with 'tailing off' oral corticosteroids in acute asthma. *Respir Med*, 1995. 89(2): p. 101-4.
Evidenzklasse: III
Link:

238.Heard, A. R., et al., Randomised controlled trial of general practice based asthma clinics. *Med J Aust*, 1999. 171(2): p. 68-71.
Evidenzklasse: Ib
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10474578

239.Henderson, S. O., et al., Use of heliox-driven nebulizer therapy in the treatment of acute asthma. *Ann Emerg Med*, 1999. 33(2): p. 141-6.
Evidenzklasse: Ib
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9922408

240.Henriksen, J. M., Agertoft, L., and Pedersen, S., Protective effect and duration of action of inhaled formoterol and salbutamol on exercise-induced asthma in children. *J Allergy Clin Immunol*, 1992. 89(6): p. 1176-82.
Evidenzklasse: Ib
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1351489

241.Henriksen, J. M. and Wenzel, A., Effect of an intranasally administered corticosteroid (budesonide) on nasal obstruction, mouth breathing, and asthma. *Am Rev Respir Dis*, 1984. 130(6): p. 1014-8.
Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=6507997

242.Henry, R. L., Hazell, J., and Halliday, J. A., Two hour seminar improves knowledge about childhood asthma in school staff. *J Paediatr Child Health*, 1994. 30(5): p. 403-5.
Evidenzklasse: III
Link:

243.Hesselmar, B., et al., Does early exposure to cat or dog protect against later allergy development? *Clin Exp Allergy*, 1999. 29(5): p. 611-7.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10231320

244.Hetzel, M. R. and Clark, T. J., Comparison of normal and asthmatic circadian rhythms in peak expiratory flow rate. *Thorax*, 1980. 35(10): p. 732-8.
Evidenzklasse: III
Link:

245.Hide, D. W., et al., Allergen avoidance in infancy and allergy at 4 years of age. *Allergy*, 1996. 51(2): p. 89-93.
Evidenzklasse: Ib
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8738513

246.Higgins, B. G. and Britton, J. R., Geographical and social class effects on asthma mortality in England and Wales. *Respir Med*, 1995. 89(5): p. 341-6.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7638368

247.Higgins, B. G., et al., The distribution of peak expiratory flow variability in a population sample. *Am Rev Respir Dis*, 1989. 140(5): p. 1368-72.

Evidenzklasse: III

Link:

248.Higgins, R. M., Stradling, J. R., and Lane, D. J., Should ipratropium bromide be added to beta-agonists in treatment of acute severe asthma? *Chest*, 1988. 94(4): p. 718-22.

Evidenzklasse: Ib

Link:

249.Hill, R., et al., Can morbidity associated with untreated asthma in primary school children be reduced?: a controlled intervention study. *Bmj*, 1991. 303(6811): p. 1169-74.

Evidenzklasse: Ib

Link:

250.Hodge, L., et al., Consumption of oily fish and childhood asthma risk. *Med J Aust*, 1996. 164(3): p. 137-40.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8628130

251.Holimon, T. D., Chafin, C. C., and Self, T. H., Nocturnal asthma uncontrolled by inhaled corticosteroids: theophylline or long-acting beta2 agonists? *Drugs*, 2001. 61(3): p. 391-418.

Evidenzklasse: Ia

Link:

252.Holloway, E. and Ram, F. S., Breathing exercises for asthma. *Cochrane Database Syst Rev*, 2000. 3.

Evidenzklasse: Link: <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=10908489>

253.Holt, P. G., Sly, P. D., and Bjorksten, B., Atopic versus infectious diseases in childhood: a question of balance? *Pediatr Allergy Immunol*, 1997. 8(2): p. 53-8.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9617774

254.Hondras, M. A., Linde, K., and Jones, A. P., Manual therapy for asthma. *Cochrane Database Syst Rev*, 2000. 2.

Evidenzklasse: Link:

255.Horwitz, R. J., McGill, K. A., and Busse, W. W., The role of leukotriene modifiers in the treatment of asthma. *Am J Respir Crit Care Med*, 1998. 157(5 Pt 1): p. 1363-71.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9603110

256.Hoskins, G., et al., The link between nurse training and asthma outcomes. *Br J Comm Nursing*, 1999. 4: p. 222-8.

Evidenzklasse: Link:

257.Howton, J. C., et al., Randomized, double-blind, placebo-controlled trial of intravenous ketamine in acute asthma. *Ann Emerg Med*, 1996. 27(2): p. 170-5.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8629747

258. Hughes, D. A., Woodcock, A., and Walley, T., Review of therapeutically equivalent alternatives to short acting beta(2) adrenoceptor agonists delivered via chlorofluorocarbon- containing inhalers. *Thorax*, 1999. 54 (12): p. 1087-92.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10567628

259. Huntley, A. and Ernst, E., Herbal medicines for asthma: a systematic review. *Thorax*, 2000. 55(11): p. 925-9.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11050261

260. Huss, K., Salerno, M., and Huss, R. W., Computer-assisted reinforcement of instruction: effects on adherence in adult atopic asthmatics. *Res Nurs Health*, 1991. 14(4): p. 259-67.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1891611

261. Ignacio-Garcia, J. M. and Gonzalez-Santos, P., Asthma self-management education program by home monitoring of peak expiratory flow. *Am J Respir Crit Care Med*, 1995. 151(2 Pt 1): p. 353-9.

Evidenzklasse: IIa

Link:

262. Iikura, Y., et al., Prevention of asthma by ketotifen in infants with atopic dermatitis. *Ann Allergy*, 1992. 68 (3): p. 233-6.

Evidenzklasse: IIa

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1546818

263. Ind, P. W., et al., Inhaled salmeterol and fluticasone propionate therapy in moderate adult asthma. *Eur Respir J*, 1997. 10 (Suppl 25): p. P0149.

Evidenzklasse: Link:

264. Innes, N. J., et al., Psychosocial risk factors in near-fatal asthma and in asthma deaths. *J R Coll Physicians Lond*, 1998. 32(5): p. 430-4.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9819735

265. Institute-of-medicine, Exposure to environmental tobacco smoke, in cleaning the air: asthma and indoor exposures, i.o. medicine, Editor. 2000, national academic press: Washington, DC. p. 263-97.

Evidenzklasse: Link:

266. Irvine, L., et al., Advising parents of asthmatic children on passive smoking: randomised controlled trial. *Bmj*, 1999. 318(7196): p. 1456-9.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10346773

267. Jalaludin, B. B., et al., Risk factors for asthma deaths: a population-based, case-control study. *Aust N Z J Public Health*, 1999. 23(6): p. 595-600.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10641349

268. Jamison, J. P. and McKinley, R. K., Validity of peak expiratory flow rate variability for the diagnosis of asthma. *Clin Sci (Lond)*, 1993. 85(3): p. 367-71.

Evidenzklasse: III

Link:

269. Jenkins, M. A., et al., Factors in childhood as predictors of asthma in adult life. *Bmj*, 1994. 309(6947): p. 90-3.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8038673

270.Jenkins, P. F., Benfield, G. F., and Smith, A. P., Predicting recovery from acute severe asthma. Thorax, 1981. 36(11): p. 835-41.

Evidenzklasse: III

Link:

271.Joad, J. P., Smoking and pediatric respiratory health. Clin Chest Med, 2000. 21(1): p. 37-46, vii-viii.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10763088

272.Johnstone, D. E., A study of the natural history of bronchial asthma in children. Am J Dis Child, 1968. 115(2): p. 213-6.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=5636498

273.Jonasson, G., et al., Patient compliance in a clinical trial with inhaled budesonide in children with mild asthma. Eur Respir J, 1999. 14(1): p. 150-4.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10489843

274.Jones, K. P., et al., Correlates of asthma morbidity in primary care. Bmj, 1992. 304(6823): p. 361-4.

Evidenzklasse: III

Link:

275.Jones, K. P. and Mullee, M. A., Measuring peak expiratory flow in general practice: comparison of mini Wright peak flow meter and turbine spirometer. Bmj, 1990. 300(6740): p. 1629-31.

Evidenzklasse: Ib

Link:

276.Jones, K. P. and Mullee, M. A., Proactive, nurse-run asthma care in general practice reduces asthma morbidity: scientific fact or medical assumption? Br J Gen Pract, 1995. 45(398): p. 497-9.

Evidenzklasse: IIa

Link:

277.Jones, K. P., et al., Peak flow based asthma self-management: a randomised controlled study in general practice. British Thoracic Society Research Committee. Thorax, 1995. 50(8): p. 851-7.

Evidenzklasse: Ib

Link:

278.Juniper, EF and Newhouse, MT, Effect of pregnancy on asthma - a systematic review and meta-analysis, in Asthma and immunological diseases in pregnancy and early infancy., M. Schatz, R. Zeiger, and H. Claman, Editors. 1993, Marcel Dekker: New York. p. 401-27.

Evidenzklasse: Ia

Link:

279.Kallen, B., Rydhstroem, H., and Aberg, A., Congenital malformations after the use of inhaled budesonide in early pregnancy. Obstet Gynecol, 1999. 93(3): p. 392-5.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10074986

280.Kallen, B., Rydhstroem, H., and Aberg, A., Asthma during pregnancy--a population based study. Eur J Epidemiol, 2000. 16(2): p. 167-71.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10845267

281.Kalliomaki, M., et al., Probiotics in primary prevention of atopic disease: a randomised placebo-controlled trial. *Lancet*, 2001. 357(9262): p. 1076-9.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11297958

282.Kannisto, S., et al., Efficacy and safety of inhaled steroid and cromone treatment in school-age children: a randomized pragmatic pilot study. *Pediatr Allergy Immunol*, 2002. 13(1): p. 24-30.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12000495

283.Karpel, J. P., et al., A comparison of ipratropium and albuterol vs albuterol alone for the treatment of acute asthma. *Chest*, 1996. 110(3): p. 611-6.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8797400

284.Kass, J. E. and Terregino, C. A., The effect of heliox in acute severe asthma: a randomized controlled trial. *Chest*, 1999. 116(2): p. 296-300.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10453854

285.Kaur, B., et al., Prevalence of asthma symptoms, diagnosis, and treatment in 12-14 year old children across Great Britain (international study of asthma and allergies in childhood, ISAAC UK). *Bmj*, 1998. 316(7125): p. 118-24.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9462318

286.Kellerman, A. L., et al., Impact of portable pulse oximetry on arterial blood gas test ordering in an urban emergency department. *Ann Emerg Med*, 1991. 20(2): p. 130-4.

Evidenzklasse: III

Link:

287.Kelly, H. W. and Murphy, S., Corticosteroids for acute, severe asthma. *Dicp*, 1991. 25(1): p. 72-9.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2008788

288.Kelly, K. D., Spooner, C. H., and Rowe, B. H., Nedocromil sodium versus cromoglycate for the pre-treatment of exercise induced bronchoconstriction in asthma. *Cochrane Database Syst Rev*, 2000(2): p. CD002169.

Evidenzklasse: I

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10796684

289.Kelly, K., Spooner, C. H., and Rowe, B. H., Nedocromil sodium vs. sodium cromoglycate for preventing exercise- induced bronchoconstriction in asthmatics (Cochrane Review). *Cochrane Library*, 2001(3).

Evidenzklasse: Link: <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=11034750>

290.Kelly, K., Spooner, C. H., and Rowe, B. H., Nedocromil sodium vs. sodium cromoglycate for preventing exercise- induced bronchoconstriction in asthmatics (Cochrane Review). *Cochrane Library*, 2003(2).

Evidenzklasse: I

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11034750

291.Kendrick, A. H., Smith, E. C., and Wilson, R. S., Selecting and using nebuliser equipment. *Thorax*, 1997. 52 Suppl 2: p. S92-101.

Evidenzklasse: IV

Link:

292.Kerem, E., et al., Clinical-physiologic correlations in acute asthma of childhood. *Pediatrics*, 1991. 87(4): p. 481-6.
Evidenzklasse: III
Link:

293.Kerstjens, H. A., et al., A comparison of bronchodilator therapy with or without inhaled corticosteroid therapy for obstructive airways disease. Dutch Chronic Non-Specific Lung Disease Study Group. *N Engl J Med*, 1992. 327(20): p. 1413-9.
Evidenzklasse: Ib
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1357553

294.Khine, H., Fuchs, S. M., and Saville, A. L., Continuous vs intermittent nebulized albuterol for emergency management of asthma. *Acad Emerg Med*, 1996. 3(11): p. 1019-24.
Evidenzklasse: Ib
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8922008

295.Khot, A., Evans, N., and Lenney, W., Seasonal trends in childhood asthma in south east England. *Br Med J (Clin Res Ed)*, 1983. 287(6401): p. 1257-8.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6416355

296.Kidney, J., et al., Immunomodulation by theophylline in asthma. Demonstration by withdrawal of therapy. *Am J Respir Crit Care Med*, 1995. 151(6): p. 1907-14.
Evidenzklasse: III
Link:

297.Kips, J. C. and Pauwels, R. A., Long-acting inhaled beta(2)-agonist therapy in asthma. *Am J Respir Crit Care Med*, 2001. 164(6): p. 923-32.
Evidenzklasse: IV
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11587972

298.Kjellman, B. and Hesselmar, B., Prognosis of asthma in children: a cohort study into adulthood. *Acta Paediatr*, 1994. 83(8): p. 854-61.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7981563

299.Kneyber, M. C. J., et al., Long-term effects of respiratory syncytial virus (RSV) bronchiolitis in infants and young children: a quantitative review. *Acta Paediatr*, 2000. 89(6): p. 654-60.
Evidenzklasse: Ia
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10914957

300.Kohler, D., [Morphine in severe asthma attacks?]. *Pneumologie*, 2000. 54(6): p. 220-1.
Evidenzklasse: IV
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10934890

301.Köhler, D. and Fleischer, W., *Theorie und Praxis der Inhalationstherapie*. 2000: Arcis Verlag.
Evidenzklasse: IV
Link:

302.Kolbe, J., Fergusson, W., and Garrett, J., Rapid onset asthma: a severe but uncommon manifestation. *Thorax*, 1998. 53(4): p. 241-7.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9741364

303.Kolbe, J., et al., Case-control study of severe life threatening asthma (SLTA) in adults: demographics, health care, and management of the acute attack. *Thorax*, 2000. 55(12): p. 1007-15.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11083885

304.Konietzko, N., Bronchitis. 1995: Urban & Schwarzenberg. 446.

Evidenzklasse: Link:

305.Kulig, M., et al., Effect of pre- and postnatal tobacco smoke exposure on specific sensitization to food and inhalant allergens during the first 3 years of life. Multicenter Allergy Study Group, Germany. Allergy, 1999. 54 (3): p. 220-8.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10321557

306.Kunitoh, H., et al., Predicting the need for hospital admission in patients with acute bronchial asthma. J Asthma, 1996. 33(2): p. 105-12.

Evidenzklasse: III

Link:

307.Kuschinsky G. and Hasso Scholz , Ulrich Schwabe (Herausgeber, Taschenbuch der Arzneibehandlung. Angewandte Pharmakologie. 2002: Urban & Fischer Verlag.

Evidenzklasse: Link:

308.Lahdensuo, A., et al., Randomised comparison of guided self management and traditional treatment of asthma over one year. Bmj, 1996. 312(7033): p. 748-52.

Evidenzklasse: Ib

Link:

309.Lal, S., et al., Nedocromil sodium is more effective than cromolyn sodium for the treatment of chronic reversible obstructive airway disease. Chest, 1993. 104(2): p. 438-47.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8393398

310.Lanes, S. F., et al., The effect of adding ipratropium bromide to salbutamol in the treatment of acute asthma: a pooled analysis of three trials. Chest, 1998. 114(2): p. 365-72.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9726716

311.Lange, P., et al., A 15-year follow-up study of ventilatory function in adults with asthma. N Engl J Med, 1998. 339(17): p. 1194-200.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9780339

312.Lange, P., Ulrik, C. S., and Vestbo, J., Mortality in adults with self-reported asthma. Copenhagen City Heart Study Group. Lancet, 1996. 347(9011): p. 1285-9.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8622503

313.Langton Hewer, S., et al., Prednisolone in acute childhood asthma: clinical responses to three dosages. Respir Med, 1998. 92(3): p. 541-6.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9692119

314.Lao, T. T. and Huengsborg, M., Labour and delivery in mothers with asthma. Eur J Obstet Gynecol Reprod Biol, 1990. 35(2-3): p. 183-90.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2335253

315.Larsson, K., Oxitropium bromide, ipratropium bromide and fenoterol in exercise-induced asthma. *Respiration*, 1982. 43(1): p. 57-63.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=6211753

316.Lau, S., et al., Early exposure to house-dust mite and cat allergens and development of childhood asthma: a cohort study. Multicentre Allergy Study Group. *Lancet*, 2000. 356(9239): p. 1392-7.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11052581

317.Lau, T. T. and Zed, P. J., Does ketamine have a role in managing severe exacerbation of asthma in adults? *Pharmacotherapy*, 2001. 21(9): p. 1100-6.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11560199

318.Lawford, P., Jones, B. J., and Milledge, J. S., Comparison of intravenous and nebulised salbutamol in initial treatment of severe asthma. *Br Med J*, 1978. 1(6105): p. 84.

Evidenzklasse: Link:

319.Leahy, B. C., Gomm, S. A., and Allen, S. C., Comparison of nebulized salbutamol with nebulized ipratropium bromide in acute asthma. *Br J Dis Chest*, 1983. 77(2): p. 159-63.

Evidenzklasse: IIa

Link:

320.Leff, J. A., et al., Montelukast, a leukotriene-receptor antagonist, for the treatment of mild asthma and exercise-induced bronchoconstriction. *N Engl J Med*, 1998. 339(3): p. 147-52.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9664090

321.Leversha, A. M., et al., Costs and effectiveness of spacer versus nebulizer in young children with moderate and severe acute asthma. *J Pediatr*, 2000. 136(4): p. 497-502.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10753248

322.Levy, M. and Bell, L., General practice audit of asthma in childhood. *Br Med J (Clin Res Ed)*, 1984. 289(6452): p. 1115-6.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6435800

323.Lewis, R. A. and Howell, J. B., Definition of the hyperventilation syndrome. *Bull Eur Physiopathol Respir*, 1986. 22(2): p. 201-5.

Evidenzklasse: IV

Link:

324.Lewis, S., et al., Study of the aetiology of wheezing illness at age 16 in two national British birth cohorts. *Thorax*, 1996. 51(7): p. 670-6.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8882071

325.Lieu, T. A., et al., Computer-based models to identify high-risk adults with asthma: is the glass half empty or half full? *J Asthma*, 1999. 36(4): p. 359-70.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10386500

326.Lim, K. L. and Harrison, B. D., A criterion based audit of inpatient asthma care. Closing the feedback loop. *J R Coll Physicians Lond*, 1992. 26(1): p. 71-5.

Evidenzklasse: III

Link:

327.Lin, R. Y., et al., Continuous versus intermittent albuterol nebulization in the treatment of acute asthma. *Ann Emerg Med*, 1993. 22(12): p. 1847-53.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8239106

328.Linde, K. and Jobst, K. A., Homeopathy for chronic asthma. *Cochrane Database Syst Rev*, 2000. 2.

Evidenzklasse: Link:

329.Linde, K., Jobst, K., and Panton, J., Acupuncture for chronic asthma. *Cochrane Database Syst Rev*, 2000. 2.

Evidenzklasse: Link: <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=10796465>

<http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=10796465>

330.Lindqvist, A., et al., Salmeterol resolves airway obstruction but does not possess anti-eosinophil efficacy in newly diagnosed asthma: a randomized, double-blind, parallel group biopsy study comparing the effects of salmeterol, fluticasone propionate, and disodium cromoglycate. *J Allergy Clin Immunol*, 2003. 112(1): p. 23-8.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12847475

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12847475

331.Lipworth, B., et al., Effects of treatment with formoterol on bronchoprotection against methacholine. *Am J Med*, 1998. 104(5): p. 431-8.

Evidenzklasse: Ib

Link:

332.Litonjua AA, Carey VJ, Burge HA, et al.,

Parental history and the risk for childhood asthma. Does mother confer more risk than father? *Am J Respir Crit Care Med (United States)*, Jul 1998, 158(1): p. p176-81.

Evidenzklasse: Link:

333.Littenberg, B. and Gluck, E. H., A controlled trial of methylprednisolone in the emergency treatment of acute asthma. *N Engl J Med*, 1986. 314(3): p. 150-2.

Evidenzklasse: Ib

Link:

334.Littlejohns, P., Ebrahim, S., and Anderson, R., Prevalence and diagnosis of chronic respiratory symptoms in adults. *Bmj*, 1989. 298(6687): p. 1556-60.

Evidenzklasse: Ib

Link:

335.Lodrup Carlsen, K. C., et al., Perinatal risk factors for recurrent wheeze in early life. *Pediatr Allergy Immunol*, 1999. 10(2): p. 89-95.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10478609

336.Lodrup Carlsen, K. C., et al., In utero exposure to cigarette smoking influences lung function at birth. *Eur Respir J*, 1997. 10(8): p. 1774-9.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9272918

337.Lofdahl, C. G., et al., Randomised, placebo controlled trial of effect of a leukotriene receptor antagonist, montelukast, on tapering inhaled corticosteroids in asthmatic patients. *Bmj*, 1999. 319(7202): p. 87-90.

Evidenzklasse: Ib

Link: <http://www.ncbi.nlm.nih.gov/cgi-bin/Entrez/referer?http://www.bmj.com/cgi/content/full/319/7202/87>

338.Lumry, W., et al., Switching from Ventolin CFC to Ventolin HFA is well tolerated and effective in patients with asthma. *Ann Allergy Asthma Immunol*, 2001. 86(3): p. 297-303.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11289328

339.Lux, A. L., Henderson, A. J., and Pocock, S. J., Wheeze associated with prenatal tobacco smoke exposure: a prospective, longitudinal study. *ALSPAC Study Team. Arch Dis Child*, 2000. 83(4): p. 307-12.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10999864

340.Luyt, D. K., Burton, P. R., and Simpson, H., Epidemiological study of wheeze, doctor diagnosed asthma, and cough in preschool children in Leicestershire. *Bmj*, 1993. 306(6889): p. 1386-90.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8518607

341.Mabie, WC., et al., Clinical observations on asthma in pregnancy. *Obstet Gynecol Surv*, 1992. 47: p. 464-6.

Evidenzklasse: III

Link:

342.MacDonald, J. B., et al., Asthma deaths in Cardiff 1963-74: 53 deaths in hospital. *Br Med J*, 1976. 2 (6038): p. 721-3.

Evidenzklasse: III

Link:

343.MacDonald, J. B., Seaton, A., and Williams, D. A., Asthma deaths in Cardiff 1963-74: 90 deaths outside hospital. *Br Med J*, 1976. 1(6024): p. 1493-5.

Evidenzklasse: III

Link:

344.Madge, P., McColl, J., and Paton, J., Impact of a nurse-led home management training programme in children admitted to hospital with acute asthma: a randomised controlled study. *Thorax*, 1997. 52(3): p. 223-8.

Evidenzklasse: Ib

Link:

345.Magnussen, H., Jorres, R., and Nowak, D., Effect of air pollution on the prevalence of asthma and allergy: lessons from the German reunification. *Thorax*, 1993. 48(9): p. 879-81.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8236067

346.Magnussen, H., Reuss, G., and Jorres, R., Theophylline has a dose-related effect on the airway response to inhaled histamine and methacholine in asthmatics. *Am Rev Respir Dis*, 1987. 136(5): p. 1163-7.

Evidenzklasse: III

Link:

347.Magnussen, H., Reuss, G., and Jorres, R., Methylxanthines inhibit exercise-induced bronchoconstriction at low serum theophylline concentration and in a dose-dependent fashion. *J Allergy Clin Immunol*, 1988. 81(3): p. 531-7.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=3346483

348.Magnussen, H., et al., The effect of azelastine on exercise-induced asthma. *Chest*, 1988. 93(5): p. 937-40.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=2896104

349. Maguire, W. C. and Nair, S., Ventilation and perfusion effects of inhaled alpha and beta agonists in asthma patients. *Chest*, 1978. 73(6 Suppl): p. 983-5.

Evidenzklasse: Ib

Link:

350. Mann, R. D., et al., Salmeterol: a study by prescription-event monitoring in a UK cohort of 15,407 patients. *J Clin Epidemiol*, 1996. 49(2): p. 247-50.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8606326

351. Manser, R., Reid, D., and Abramson, M., Corticosteroids for acute severe asthma in hospitalised patients. *Cochrane Database Syst Rev*, 2001. 1.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11279726

352. Manser, R., Reid, D., and Abramson, M., Corticosteroids for acute severe asthma in hospitalised patients. *Cochrane Database Syst Rev*, 2003. 2.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10796664

353. Martin, A. J., et al., The natural history of childhood asthma to adult life. *Br Med J*, 1980. 280(6229): p. 1397-1400.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7427131

354. Martinez, F. D., Cline, M., and Burrows, B., Increased incidence of asthma in children of smoking mothers. *Pediatrics*, 1992. 89(1): p. 21-6.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1728015

355. Martinez, F. D. and Helms, P. J., Types of asthma and wheezing. *Eur Respir J Suppl*, 1998. 27: p. 3s-8s.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9699776

356. Martinez, F. D., et al., Differential immune responses to acute lower respiratory illness in early life and subsequent development of persistent wheezing and asthma. *J Allergy Clin Immunol*, 1998. 102(6 Pt 1): p. 915-20.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9847431

357. Martinez, F. D., et al., Asthma and wheezing in the first six years of life. The Group Health Medical Associates. *N Engl J Med*, 1995. 332(3): p. 133-8.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7800004

358. Martys, C. R., Asthma care in Darley Dale: general practitioner audit. *Bmj*, 1992. 304(6829): p. 758-60.

Evidenzklasse: III

Link:

359. Mathur, R., et al., Reaudit of acute asthma admissions using a severity marker stamp and determinants of an outcome measure. *Scott Med J*, 1997. 42(2): p. 49-52.

Evidenzklasse: III

Link:

360. McConnochie, K. M. and Roghmann, K. J., Wheezing at 8 and 13 years: changing importance of bronchiolitis and passive smoking. *Pediatr Pulmonol*, 1989. 6(3): p. 138-46.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2717240

361.McDonald, N. J. and Bara, A. I., Anticholinergic therapy for chronic asthma in children over two years of age. Cochrane Database Syst Rev, 2003(3): p. CD003535.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=1_2917970

362.McDowell, K. M., et al., A cost-saving algorithm for children hospitalized for status asthmaticus. Arch Pediatr Adolesc Med, 1998. 152(10): p. 977-84.

Evidenzklasse: IIa

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9790607

363.McFadden, E. R., Jr., Critical appraisal of the therapy of asthma--an idea whose time has come. Am Rev Respir Dis, 1986. 133(5): p. 723-4.

Evidenzklasse: IV

Link:

364.McFadden, E. R., Jr., et al., Protocol therapy for acute asthma: therapeutic benefits and cost savings. Am J Med, 1995. 99(6): p. 651-61.

Evidenzklasse: III

Link:

365.McFadden, E. R., Jr., Kiser, R., and DeGroot, W. J., Acute bronchial asthma. Relations between clinical and physiologic manifestations. N Engl J Med, 1973. 288(5): p. 221-5.

Evidenzklasse: IV

Link:

366.McFadden, E. R., Jr. and Lyons, H. A., Arterial-blood gas tension in asthma. N Engl J Med, 1968. 278(19): p. 1027-32.

Evidenzklasse: IIb

Link:

367.McIntosh, N. A., Clark, N. M., and Howatt, W. F., Reducing tobacco smoke in the environment of the child with asthma: a cotinine-assisted, minimal-contact intervention. J Asthma, 1994. 31(6): p. 453-62.

Evidenzklasse: IIIb

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7961322

368.McIvor, R. A., et al., Potential masking effects of salmeterol on airway inflammation in asthma. Am J Respir Crit Care Med, 1998. 158(3): p. 924-30.

Evidenzklasse: III

Link: <http://www.ncbi.nlm.nih.gov/cgi-bin/Entrez/referer?http://www.ajrccm.org/cgi/content/full/158/3/924>

369.McKean, M. and Ducharme, F., Inhaled steroids for episodic viral wheeze of childhood. Cochrane Database Syst Rev, 2000. 2.

Evidenzklasse: Link: <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=10796596>

370.McKenzie, S. A., Selley, J. A., and Agnew, J. E., Secretion of prednisolone into breast milk. Arch Dis Child, 1975. 50(11): p. 894-6.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1211963

371.Meduri, G. U., et al., Noninvasive positive pressure ventilation in status asthmaticus. Chest, 1996. 110(3): p. 767-74.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8797425

372.Menger, W. and Schellhaas, J., [A telemetric study of the secretolytic effect of sea-air on children with bronchial asthma (author's transl)]. Prax Klin Pneumol, 1980. 34(12): p. 746-9.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=7465536

373.Mielck, A., Reitmeir, P., and Wjst, M., Severity of childhood asthma by socioeconomic status. Int J Epidemiol, 1996. 25(2): p. 388-93.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9119565

374.Milgrom, H., et al., Treatment of allergic asthma with monoclonal anti-IgE antibody. rhuMAb-E25 Study Group. N Engl J Med, 1999. 341(26): p. 1966-73.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10607813

375.Miller, M. R., Dickinson, S. A., and Hitchings, D. J., The accuracy of portable peak flow meters. Thorax, 1992. 47(11): p. 904-9.

Evidenzklasse: IIa

Link:

376.Mitchell RG, Than M, and CE., Robertson, The value of pulse oximetry in the critically ill patient. unpublished.

Evidenzklasse: Link:

377.Mohan, G., et al., A confidential enquiry into deaths caused by asthma in an English health region: implications for general practice. Br J Gen Pract, 1996. 46(410): p. 529-32.

Evidenzklasse: III

Link:

378.Molfino, N. A., et al., Respiratory arrest in near-fatal asthma. N Engl J Med, 1991. 324(5): p. 285-8.

Evidenzklasse: III

Link:

379.Moller, C., et al., Pollen immunotherapy reduces the development of asthma in children with seasonal rhinoconjunctivitis (the PAT-study). J Allergy Clin Immunol, 2002. 109(2): p. 251-6.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11842293

380.Moore, R. H., Khan, A., and Dickey, B. F., Long-acting inhaled beta2-agonists in asthma therapy. Chest, 1998. 113(4): p. 1095-108.

Evidenzklasse: Ia

Link:

381.Murray, B. and Redding, G., Factors associated with prolonged hospitalization of children with asthma. Arch Pediatr Adolesc Med, 1995. 149(3): p. 276-9.

Evidenzklasse: III

Link:

382.Moudgil, H., Marshall, T., and Honeybourne, D., Asthma education and quality of life in the community: a randomised controlled study to evaluate the impact on white European and Indian subcontinent ethnic groups from socioeconomically deprived areas in Birmingham, UK. Thorax, 2000. 55(3): p. 177-83.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10679534

383.Mowat, DHR., et al., Socio-economic status and childhood asthma. *Asthma Gen Pract*, 1998. 6: p. 9-11.
Evidenzklasse: III
Link:

384.Murphy, D. G., et al., Aminophylline in the treatment of acute asthma when beta 2-adrenergics and steroids are provided. *Arch Intern Med*, 1993. 153(15): p. 1784-8.
Evidenzklasse: Ib
Link:

385.Murphy, K. R., et al., Effects of budesonide inhalation suspension compared with cromolyn sodium nebulizer solution on health status and caregiver quality of life in childhood asthma. *Pediatrics*, 2003. 112(3 Pt 1): p. e212-9.
Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12949315

386.Murphy, V. E., et al., Maternal asthma is associated with reduced female fetal growth. *Am J Respir Crit Care Med*, 2003.
Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=14500261

387.Murray, A. B. and Morrison, B. J., The decrease in severity of asthma in children of parents who smoke since the parents have been exposing them to less cigarette smoke. *J Allergy Clin Immunol*, 1993. 91(1 Pt 1): p. 102-10.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8423267

388.Mutschler, Ernst, Arzneimittelwirkungen. Lehrbuch der Pharmakologie und Toxikologie. 2001: Wissenschaftliche Verlagsges.
Evidenzklasse: Link:

389.Nassif, E. G., et al., The value of maintenance theophylline in steroid-dependent asthma. *N Engl J Med*, 1981. 304(2): p. 71-5.
Evidenzklasse: Ib
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7003383

390.National Heart Lung and Blood Institute, International consensus report on diagnosis and treatment of asthma. National Heart, Lung, and Blood Institute, National Institutes of Health. Bethesda, Maryland 20892. Publication no. 92-3091, March 1992. *Eur Respir J*, 1992. 5(5): p. 601-41.
Evidenzklasse: IV
Link:

391.National Institutes of Health, NIH, Guidelines for the Diagnosis and Management of Asthma (Expert Panel Report [EPR]-2). 1997.
Evidenzklasse: Link:

392.National-Heart-Lung-and-Blood-Institute, International consensus report on diagnosis and treatment of asthma. National Heart, Lung, and Blood Institute, National Institutes of Health. Bethesda, Maryland 20892. Publication no. 92-3091, March 1992. *Eur Respir J*, 1992. 5(5): p. 601-41.
Evidenzklasse: Link:

393.NEAGDG, North of England evidence based guidelines development project: summary version of evidence based guideline for the primary care management in adults. North of England Asthma Guideline Development Group. *Bmj*, 1996. 312(7033): p. 762-6.
Evidenzklasse: Link: <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=8605467>

394. Nelson, H. S., et al., Comparison of inhaled salmeterol and oral zafirlukast in asthmatic patients using concomitant inhaled corticosteroids. *MedGenMed*, 2001. 3(4): p. 3.
Evidenzklasse: Ib
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11549982
395. Nelson, J. A., et al., Effect of long-term salmeterol treatment on exercise-induced asthma. *N Engl J Med*, 1998. 339(3): p. 141-6.
Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/cgi-bin/Entrez/referer?http://www.nejm.org/content/scripts/search/page.as_p%3fvolume=339&page=141
396. Neville, E., Gribbin, H., and Harrison, B. D., Acute severe asthma. *Respir Med*, 1991. 85(6): p. 463-74.
Evidenzklasse: III
Link:
397. Neville, R. G., et al., The use of children's medical records to predict the risk of asthma attack. *Scott Med J*, 1995. 40(5): p. 138-40.
Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8578300
398. Neville, R. G., et al., National asthma attack audit 1991-2. General Practitioners in Asthma Group. *Bmj*, 1993. 306(6877): p. 559-62.
Evidenzklasse: Link:
399. Neville, R. G., et al., Observations on the structure, process and clinical outcomes of asthma care in general practice. *Br J Gen Pract*, 1996. 46(411): p. 583-7.
Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8945795
400. Neville, R. G., et al., How general practitioners manage acute asthma attacks. *Thorax*, 1997. 52(2): p. 153-6.
Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9059476
401. Neville, R. G., et al., Cross-sectional observations on the natural history of asthma. *Br J Gen Pract*, 2001. 51(466): p. 361-5.
Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11360699
402. Nicolai, T., et al., Increased prevalence of sensitization against aeroallergens in adults in West compared with East Germany. *Clin Exp Allergy*, 1997. 27(8): p. 886-92.
Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9291284
403. Nolte, D., Asthma. Vol. 6. Aufl. 1995, München: Urban & Schwarzenberg.,
Evidenzklasse: Link:
404. Noonan, M. J., et al., Montelukast, a potent leukotriene receptor antagonist, causes dose-related improvements in chronic asthma. Montelukast Asthma Study Group. *Eur Respir J*, 1998. 11(6): p. 1232-9.
Evidenzklasse: Ib
Link:
405. Norback, D., et al., Asthmatic symptoms and volatile organic compounds, formaldehyde, and carbon dioxide in dwellings. *Occup Environ Med*, 1995. 52(6): p. 388-95.
Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7627316

406. North of England Asthma Guideline Development Group, North of England evidence based guidelines development project: summary version of evidence based guideline for the primary care management in adults. North of England Asthma Guideline Development Group. *Bmj*, 1998. 312(7033): p. 762-6.

Evidenzklasse: nicht bewertet

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8605467

407. Nowak, R. M., et al., Comparison of peak expiratory flow and FEV1 admission criteria for acute bronchial asthma. *Ann Emerg Med*, 1982. 11(2): p. 64-9.

Evidenzklasse: III

Link:

408. Nowak, R. M., et al., Arterial blood gases and pulmonary function testing in acute bronchial asthma. Predicting patient outcomes. *Jama*, 1983. 249(15): p. 2043-6.

Evidenzklasse: IIIb

Link:

409. Nunn, A. J. and Gregg, I., New regression equations for predicting peak expiratory flow in adults. *Bmj*, 1989. 298(6680): p. 1068-70.

Evidenzklasse: III

Link:

410. O'Driscoll, B. R., et al., Double-blind trial of steroid tapering in acute asthma. *Lancet*, 1993. 341(8841): p. 324-7.

Evidenzklasse: Ib

Link:

411. O'Driscoll, B. R., et al., Long term treatment of severe asthma with subcutaneous terbutaline. *Br J Dis Chest*, 1988. 82(4): p. 360-7.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3076791

412. O'Driscoll, B. R., et al., Nebulised salbutamol with and without ipratropium bromide in acute airflow obstruction. *Lancet*, 1989. 1(8652): p. 1418-20.

Evidenzklasse: Ib

Link:

413. O'Hickey, S. P. and Rees, P. J., High-dose nedocromil sodium as an addition to inhaled corticosteroids in the treatment of asthma. *Respir Med*, 1994. 88(7): p. 499-502.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=7_972972

414. Ormerod, L. P. and Stableforth, D. E., Asthma mortality in Birmingham 1975-7: 53 deaths. *Br Med J*, 1980. 280(6215): p. 687-90.

Evidenzklasse: III

Link:

415. Osman, L. M., et al., Reducing hospital admission through computer supported education for asthma patients. Grampian Asthma Study of Integrated Care (GRASSIC). *Bmj*, 1994. 308(6928): p. 568-71.

Evidenzklasse: Ib

Link:

416. Osman, L. M., et al., Requests for repeat medication prescriptions and frequency of acute episodes in asthma patients. *J Asthma*, 1999. 36(5): p. 449-57.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10461934

417.Osmond, M. H. and Klassen, T. P., Efficacy of ipratropium bromide in acute childhood asthma: a meta-analysis. *Acad Emerg Med*, 1995. 2(7): p. 651-6.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8521214

418.Ost, L., et al., Prednisolone excretion in human milk. *J Pediatr*, 1985. 106(6): p. 1008-11.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3998938

419.Pajno, G. B., et al., Prevention of new sensitizations in asthmatic children monosensitized to house dust mite by specific immunotherapy. A six-year follow-up study. *Clin Exp Allergy*, 2001. 31(9): p. 1392-7.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11591189

420.Palmer, K. N. and Kelman, G. R., Pulmonary function in asthmatic patients in remission. *Br Med J*, 1975. 1(5956): p. 485-6.

Evidenzklasse: III

Link:

421.Palmqvist, M., et al., Inhaled dry-powder formoterol and salmeterol in asthmatic patients: onset of action, duration of effect and potency. *Eur Respir J*, 1997. 10(11): p. 2484-9.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9426083

422.Panton, j and Barley, EA, Family therapy for asthma in children (Cochrane review). *Cochrane Library*, 2001(3).

Evidenzklasse: Link:

423.Papo, M. C., Frank, J., and Thompson, A. E., A prospective, randomized study of continuous versus intermittent nebulized albuterol for severe status asthmaticus in children. *Crit Care Med*, 1993. 21(10): p. 1479-86.

Evidenzklasse: Ib

Link:

424.Parameswaran, K., Belda, J., and Rowe, B. H., Addition of intravenous aminophylline to beta2-agonists in adults with acute asthma. *Cochrane Database Syst Rev*, 2000. 4.

Evidenzklasse: Link: <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=11034753>

425.Parameswaran, K., Belda, J., and Rowe, B. H., Addition of intravenous aminophylline to beta2-agonists in adults with acute asthma (Cochrane Review). *The Cochrane Library*, 2001(3).

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11034753

426.Park, E. S., et al., Preschool wheezing and prognosis at 10. *Arch Dis Child*, 1986. 61(7): p. 642-6.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3740902

427.Park-Wyllie, L., et al., Birth defects after maternal exposure to corticosteroids: prospective cohort study and meta-analysis of epidemiological studies. *Teratology*, 2000. 62(6): p. 385-92.

Evidenzklasse: III & Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11091360

428.Partridge, M. R., In what way may race, ethnicity or culture influence asthma outcomes? *Thorax*, 2000. 55(3): p. 175-6.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10679533

429. Patel, K. R., Terfenadine in exercise induced asthma. Br Med J (Clin Res Ed), 1984. 288(6429): p. 1496-7.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=6144348

430. Patterson, W.M., Comparison of PEF and health status in asthma. CRAG, 1994. occasional paper no. 32.

Evidenzklasse: IIb

Link:

431. Pauwels, R. A., et al., The inhaled Steroid Treatment as Regular Therapy in early asthma (START) study: rationale and design. Control Clin Trials, 2001. 22(4): p. 405-19.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11514041

432. Pauwels, R. A., et al., Effect of inhaled formoterol and budesonide on exacerbations of asthma. Formoterol and Corticosteroids Establishing Therapy (FACET) International Study Group. N Engl J Med, 1997. 337(20): p. 1405-11.

Evidenzklasse: Ib

Link: <http://www.ncbi.nlm.nih.gov/cgi-bin/Entrez/referer?http://www.nejm.org/content/scripts/search/page.asp%3fvolume=337&page=1405>

433. Payne, D. N., et al., Subcutaneous terbutaline in children with chronic severe asthma. Pediatr Pulmonol, 2002. 33(5): p. 356-61.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11948980

434. Pearce, N., et al., End of the New Zealand asthma mortality epidemic. Lancet, 1995. 345(8941): p. 41-4.

Evidenzklasse: IV

Link:

435. Pearson, M. G., Ryland, I., and Harrison, B. D., National audit of acute severe asthma in adults admitted to hospital. Standards of Care Committee, British Thoracic Society. Qual Health Care, 1995. 4(1): p. 24-30.

Evidenzklasse: IV

Link:

436. Pearson, M. G., et al., Value of pulsus paradoxus in assessing acute severe asthma. British Thoracic Society Standards of Care Committee. Bmj, 1993. 307(6905): p. 659.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8401053

437. Peat, J. K., Salome, C. M., and Woolcock, A. J., Longitudinal changes in atopy during a 4-year period: relation to bronchial hyperresponsiveness and respiratory symptoms in a population sample of Australian schoolchildren. J Allergy Clin Immunol, 1990. 85(1 Pt 1): p. 65-74.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2299108

438. Pedersen, B., et al., Nasal inhalation of the glucocorticoid budesonide from a spacer for the treatment of patients with pollen rhinitis and asthma. Allergy, 1990. 45(6): p. 451-6.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=2244675

439. Pedersen, C. M., et al., [Bronchodilating inhalation anesthetics in bronchial asthma and status asthmaticus]. Ugeskr Laeger, 1994. 156(1): p. 25-30.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8291152

440. Perlow, J. H., et al., Severity of asthma and perinatal outcome. *Am J Obstet Gynecol*, 1992. 167(4 Pt 1): p. 963-7.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1415433
441. Peroni, D. G., et al., Effective allergen avoidance at high altitude reduces allergen-induced bronchial hyperresponsiveness. *Am J Respir Crit Care Med*, 1994. 149(6): p. 1442-6.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8004296
442. Petheram, I. S., et al., Ketotifen in atopic asthma and exercise-induced asthma. *Thorax*, 1981. 36(4): p. 308-12.
Evidenzklasse: Ib
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=6116296
443. Phillips, M. J., et al., The effect of sustained-release aminophylline on exercise-induced asthma. *Br J Dis Chest*, 1981. 75(2): p. 181-9.
Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=7023527
444. Pinnock, H., et al., Are doctors still failing to assess and treat asthma attacks? An audit of the management of acute attacks in a health district. *Respir Med*, 1999. 93(6): p. 397-401.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10464821
445. Platts-Mills, T. A., et al., Dust mite allergens and asthma: report of a second international workshop. *J Allergy Clin Immunol*, 1992. 89(5): p. 1046-60.
Evidenzklasse: IV
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1349902
446. Platts-Mills, T. A., et al., Reduction of bronchial hyperreactivity during prolonged allergen avoidance. *Lancet*, 1982. 2(8300): p. 675-8.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6126624
447. Platts-Mills, T., et al., Sensitisation, asthma, and a modified Th2 response in children exposed to cat allergen: a population-based cross-sectional study. *Lancet*, 2001. 357(9258): p. 752-6.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11253969
448. Plotnick, L. H. and Ducharme, F. M., Combined inhaled anticholinergics and beta2-agonists for initial treatment of acute asthma in children. *Cochrane Database Syst Rev*, 2000. 4.
Evidenzklasse: Link: <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=11034671>
449. Ponsonby, A. L., et al., Cross sectional study of the relation between sibling number and asthma, hay fever, and eczema. *Arch Dis Child*, 1998. 79(4): p. 328-33.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9875043
450. Popplewell, E. J., et al., The effect of high-efficiency and standard vacuum-cleaners on mite, cat and dog allergen levels and clinical progress. *Pediatr Allergy Immunol*, 2000. 11(3): p. 142-8.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10981523

451.Powell, C. V., et al., Successful implementation of spacer treatment guideline for acute asthma. Arch Dis Child, 2001. 84(2): p. 142-6.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11159290

452.Prahl, P., Petersen, N. T., and Hornsleth, A., Beta 2-agonists for the treatment of wheezy bronchitis? Ann Allergy, 1986. 57(6): p. 439-41.

Evidenzklasse: IIa

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3789471

453.Price DB, et al., Clinical Outcomes with Montelukast as a Partner Agent to Corticosteroid Therapy (COMPACT) International Study Group. Randomised controlled trial of montelukast plus inhaled budesonide versus double dose inhaled budesonide in adult patients with asthma. Thorax. 2003 Mar;58(3):211-6., 2003.

Evidenzklasse: Evidenz Ib

Link:

454.Pride, N. B., Asthma. Definition and clinical spectrum. Br Med Bull, 1992. 48(1): p. 1-9.

Evidenzklasse: III

Link:

455.Purello-D'Ambrosio, F., et al., Prevention of new sensitizations in monosensitized subjects submitted to specific immunotherapy or not. A retrospective study. Clin Exp Allergy, 2001. 31(8): p. 1295-302.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11529901

456.Quackenboss, J. J., Lebowitz, M. D., and Krzyzanowski, M., The normal range of diurnal changes in peak expiratory flow rates. Relationship to symptoms and respiratory disease. Am Rev Respir Dis, 1991. 143(2): p. 323-30.

Evidenzklasse: III

Link:

457.Rabe, K. F., et al., Comparison of the effects of salmeterol and formoterol on airway tone and responsiveness over 24 hours in bronchial asthma. Am Rev Respir Dis, 1993. 147(6 Pt 1): p. 1436-41.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8503554

458.Ram, F. S., Robinson, S. M., and Black, P. N., Physical training for asthma. Cochrane Database Syst Rev, 2000. 2.

Evidenzklasse: Link: <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=10796599>

459.Ram, F. S., et al., Systematic review of clinical effectiveness of pressurised metered dose inhalers versus other hand held inhaler devices for delivering beta (2)agonists bronchodilators in asthma. Bmj, 2001. 323 (7318): p. 901-5.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11668134

460.Ramage, L., et al., Reduced protection against exercise induced bronchoconstriction after chronic dosing with salmeterol. Respir Med, 1994. 88(5): p. 363-8.

Evidenzklasse: Ib

Link:

461.Rasmussen, F., et al., Impact of airway lability, atopy, and tobacco smoking on the development of asthma-like symptoms in asymptomatic teenagers. Chest, 2000. 117(5): p. 1330-5.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10807819

462.Ratto, D., et al., Are intravenous corticosteroids required in status asthmaticus? *Jama*, 1988. 260(4): p. 527-9.

Evidenzklasse: Ib

Link:

463.Rayburn, W. F., et al., Short-term effects of inhaled albuterol on maternal and fetal circulations. *Am J Obstet Gynecol*, 1994. 171(3): p. 770-3.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8092227

464.Rea, H. H., et al., A case-control study of deaths from asthma. *Thorax*, 1986. 41(11): p. 833-9.

Evidenzklasse: III

Link:

465.Rebuck, A. S., et al., Nebulized anticholinergic and sympathomimetic treatment of asthma and chronic obstructive airways disease in the emergency room. *Am J Med*, 1987. 82(1): p. 59-64.

Evidenzklasse: IIa

Link:

466.Rebuck, A. S. and Read, J., Assessment and management of severe asthma. *Am J Med*, 1971. 51(6): p. 788-98.

Evidenzklasse: IV

Link:

467.Reddel, H. K., et al., Optimal asthma control, starting with high doses of inhaled budesonide. *Eur Respir J*, 2000. 16(2): p. 226-35.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=1_0968496

468.Redline, S., et al., Short-term compliance with peak flow monitoring: results from a study of inner city children with asthma. *Pediatr Pulmonol*, 1996. 21(4): p. 203-10.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9121848

469.Reijonen, T. M., et al., Predictors of asthma three years after hospital admission for wheezing in infancy. *Pediatrics*, 2000. 106(6): p. 1406-12.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11099596

470.Reisman, J., et al., Frequent administration by inhalation of salbutamol and ipratropium bromide in the initial management of severe acute asthma in children. *J Allergy Clin Immunol*, 1988. 81(1): p. 16-20.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2963059

471.Reiss, T. F., et al., Montelukast, a once-daily leukotriene receptor antagonist, in the treatment of chronic asthma: a multicenter, randomized, double-blind trial. Montelukast Clinical Research Study Group. *Arch Intern Med*, 1998. 158(11): p. 1213-20.

Evidenzklasse: Ib

Link:

472.Remes, S. T., et al., Dog exposure in infancy decreases the subsequent risk of frequent wheeze but not of atopy. *J Allergy Clin Immunol*, 2001. 108(4): p. 509-15.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11590373

473.Renz, H., et al., T(H)1/T(H)2 immune response profiles differ between atopic children in eastern and western Germany. *J Allergy Clin Immunol*, 2002. 109(2): p. 338-42.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11842306

474. Richards, G. N., et al., Demographic characteristics of patients with severe life threatening asthma: comparison with asthma deaths. *Thorax*, 1993. 48(11): p. 1105-9.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8296252

475. Rimington, L. D., et al., Relationship between anxiety, depression, and morbidity in adult asthma patients. *Thorax*, 2001. 56(4): p. 266-71.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11254816

476. Robertson, C. F., et al., Response to frequent low doses of nebulized salbutamol in acute asthma. *J Pediatr*, 1985. 106(4): p. 672-4.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3981324

477. Robertson, R., Osman, L. M., and Douglas, J. G., Adult asthma review in general practice: nurses' perception of their role. *Fam Pract*, 1997. 14(3): p. 227-32.

Evidenzklasse: III

Link:

478. Robinson, S. M., Harrison, B. D., and Lambert, M. A., Effect of a preprinted form on the management of acute asthma in an accident and emergency department. *J Accid Emerg Med*, 1996. 13(2): p. 93-7.

Evidenzklasse: III

Link:

479. Robson, J., et al., Using nurses for preventive activities with computer assisted follow up: a randomised controlled trial. *Bmj*, 1989. 298(6671): p. 433-6.

Evidenzklasse: Ib

Link:

480. Rodrigo, C. and Rodrigo, G., Treatment of acute asthma. Lack of therapeutic benefit and increase of the toxicity from aminophylline given in addition to high doses of salbutamol delivered by metered-dose inhaler with a spacer. *Chest*, 1994. 106(4): p. 1071-6.

Evidenzklasse: Ib

Link:

481. Rodrigo, G. J. and Rodrigo, C., Rapid-onset asthma attack: a prospective cohort study about characteristics and response to emergency department treatment. *Chest*, 2000. 118(6): p. 1547-52.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11115438

482. Rodrigo, G., Rodrigo, C., and Burschtin, O., A meta-analysis of the effects of ipratropium bromide in adults with acute asthma. *Am J Med*, 1999. 107(4): p. 363-70.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10527039

483. Rodriguez-Pinilla, E. and Martinez-Frias, M. L., Corticosteroids during pregnancy and oral clefts: a case-control study. *Teratology*, 1998. 58(1): p. 2-5.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9699238

484. Rogers, D. F., Mucoactive drugs for asthma and COPD: any place in therapy? *Expert Opin Investig Drugs*, 2002. 11(1): p. 15-35.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11772318

485.Rona, R. J., Asthma and poverty. Thorax, 2000. 55(3): p. 239-44.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10679545

486.Rona, R. J., Chinn, S., and Burney, P. G., Trends in the prevalence of asthma in Scottish and English primary school children 1982-92. Thorax, 1995. 50(9): p. 992-3.

Evidenzklasse: III

Link:

487.Rona, R. J., Duran-Tauleria, E., and Chinn, S., Family size, atopic disorders in parents, asthma in children, and ethnicity. J Allergy Clin Immunol, 1997. 99(4): p. 454-60.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9111488

488.Roorda, R. J., Prognostic factors for the outcome of childhood asthma in adolescence. Thorax, 1996. 51 Suppl 1: p. S7-12.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8658386

489.Roorda, R. J., et al., Risk factors for the persistence of respiratory symptoms in childhood asthma. Am Rev Respir Dis, 1993. 148(6 Pt 1): p. 1490-5.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8256889

490.Rosenstreich, D. L., et al., The role of cockroach allergy and exposure to cockroach allergen in causing morbidity among inner-city children with asthma. N Engl J Med, 1997. 336(19): p. 1356-63.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9134876

491.Ross, R. N., Nelson, H. S., and Finegold, I., Effectiveness of specific immunotherapy in the treatment of asthma: a meta-analysis of prospective, randomized, double-blind, placebo- controlled studies. Clin Ther, 2000. 22(3): p. 329-41.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10963287

492.Rossing, T. H., et al., Emergency therapy of asthma: comparison of the acute effects of parenteral and inhaled sympathomimetics and infused aminophylline. Am Rev Respir Dis, 1980. 122(3): p. 365-71.

Evidenzklasse: Ib

Link:

493.Rote_Liste and Deutschland, Arzneimittelverzeichnis für, Arzneimittelverzeichnis für Deutschland. 2003.

Evidenzklasse: Link: www.rote-liste.de

494.Rowe, B. H., et al., Magnesium sulfate for treating exacerbations of acute asthma in the emergency department. (Cochrane Review). The Cochrane Library, 2001(2).

Evidenzklasse: Link: <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=10796650>

495.Rowe, B. H., et al., Magnesium sulfate for treating exacerbations of acute asthma in the emergency department. Cochrane Database Syst Rev, 2003. 2.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10796650

496. Rowe, B. H., Keller, J. L., and Oxman, A. D., Effectiveness of steroid therapy in acute exacerbations of asthma: a meta-analysis. *Am J Emerg Med*, 1992. 10(4): p. 301-10.

Evidenzklasse: Ia

Link:

497. Rowe, B. H., et al., Early emergency department treatment of acute asthma with systemic corticosteroids. *Cochrane Database Syst Rev*, 2001. 1.

Evidenzklasse: Link: <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=11279756>

498. Rowe, B. H., et al., Early emergency department treatment of acute asthma with systemic corticosteroids. *Cochrane Database Syst Rev*, 2003. 2.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11279756

499. Rowe, B. H., et al., Corticosteroids for preventing relapse following acute exacerbations of asthma. *Cochrane Database Syst Rev*, 2001. 1.

Evidenzklasse: Link: <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=11279682>

500. Rowe, B. H., et al., Corticosteroids for preventing relapse following acute exacerbations of asthma. *Cochrane Database Syst Rev*, 2003. 2.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11279682

501. Rubilar, L., Castro-Rodriguez, J. A., and Girardi, G., Randomized trial of salbutamol via metered-dose inhaler with spacer versus nebulizer for acute wheezing in children less than 2 years of age. *Pediatr Pulmonol*, 2000. 29(4): p. 264-9.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10738013

502. Rudnitsky, G. S., et al., Comparison of intermittent and continuously nebulized albuterol for treatment of asthma in an urban emergency department. *Ann Emerg Med*, 1993. 22(12): p. 1842-6.

Evidenzklasse: IIa

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8239105

503. Rusconi, F., et al., Risk factors for early, persistent, and late-onset wheezing in young children. *SIDRIA Collaborative Group. Am J Respir Crit Care Med*, 1999. 160(5 Pt 1): p. 1617-22.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10556130

504. Rust, G. S., et al., Does breastfeeding protect children from asthma? Analysis of NHANES III survey data. *J Natl Med Assoc*, 2001. 93(4): p. 139-48.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12653401

505. Saarinen, U. M. and Kajosaari, M., Breastfeeding as prophylaxis against atopic disease: prospective follow-up study until 17 years old. *Lancet*, 1995. 346(8982): p. 1065-9.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7564787

506. Sachverständigenrat, Bedarfsgerechtigkeit und Wirtschaftlichkeit. 2001, Sachverständigenrat für die konzertierte Aktion im Gesundheitswesen.

Evidenzklasse: Link: <http://www.svr-gesundheit.de/gutacht/sogu01/01deu/kurzfo1.pdf>

507. Salmeron, S., et al., Nebulized versus intravenous albuterol in hypercapnic acute asthma. A multicenter,

double-blind, randomized study. *Am J Respir Crit Care Med*, 1994. 149(6): p. 1466-70.

Evidenzklasse: Ib

Link:

508.Sanguinetti, C. M., et al., Evaluation of Duovent in the prevention of exercise-induced asthma. *Respiration*, 1986. 50 Suppl 2: p. 181-5.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=2_951802

509.Scarfone, R. J., et al., Controlled trial of oral prednisone in the emergency department treatment of children with acute asthma. *Pediatrics*, 1993. 92(4): p. 513-8.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8414819

510.Schatz, M., Asthma during pregnancy: interrelationships and management. *Ann Allergy*, 1992. 68(2): p. 123-33.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1739187

511.Schatz, M., Interrelationships between asthma and pregnancy: a literature review. *J Allergy Clin Immunol*, 1999. 103(2 Pt 2): p. S330-6.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9949333

512.Schatz, M., et al., The course of asthma during pregnancy, post partum, and with successive pregnancies: a prospective analysis. *J Allergy Clin Immunol*, 1988. 81(3): p. 509-17.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3346481

513.Schatz, M., et al., The safety of asthma and allergy medications during pregnancy. *J Allergy Clin Immunol*, 1997. 100(3): p. 301-6.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9314340

514.Schatz, M., et al., The safety of inhaled beta-agonist bronchodilators during pregnancy. *J Allergy Clin Immunol*, 1988. 82(4): p. 686-95.

Evidenzklasse: IIa

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3171009

515.Schatz, M., Zeiger, R. S., and Hoffman, C. P., Intrauterine growth is related to gestational pulmonary function in pregnant asthmatic women. Kaiser-Permanente Asthma and Pregnancy Study Group. *Chest*, 1990. 98(2): p. 389-92.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2376171

516.Schatz, M., et al., Perinatal outcomes in the pregnancies of asthmatic women: a prospective controlled analysis. *Am J Respir Crit Care Med*, 1995. 151(4): p. 1170-4.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7697248

517.Schmidt-Wolf, I. and Fischer, J., [Effect of a stay in the North Sea climate on lymphocyte subpopulations in the peripheral blood of patients with exogenous allergic bronchial asthma and chronic bronchitis]. *Pneumologie*, 1990. 44 Suppl 1: p. 241-2.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=2_367378

518.Schneider, S. M., et al., High-dose methylprednisolone as initial therapy in patients with acute bronchospasm. *J Asthma*, 1988. 25(4): p. 189-93.

Evidenzklasse: Ib

Link:

519.Schoetzau, A., Gehring, U., and Wichmann, H. E., Prospective cohort studies using hydrolysed formulas for allergy prevention in atopy-prone newborns: a systematic review. *Eur J Pediatr*, 2001. 160(6): p. 323-32.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11421410

520.Schraa, J. C. and Dirks, J. F., Improving patient recall and comprehension of the treatment regimen. *J Asthma*, 1982. 19(3): p. 159-62.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7118821

521.Schuh, S., et al., Hospitalization patterns in severe acute asthma in children. *Pediatr Pulmonol*, 1997. 23(3): p. 184-92.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9094726

522.Schuh, S., et al., Efficacy of frequent nebulized ipratropium bromide added to frequent high-dose albuterol therapy in severe childhood asthma. *J Pediatr*, 1995. 126(4): p. 639-45.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7699549

523.Schuh, S., et al., Comparison of albuterol delivered by a metered dose inhaler with spacer versus a nebulizer in children with mild acute asthma. *J Pediatr*, 1999. 135(1): p. 22-7.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10393599

524.Schuh, S., et al., High-versus low-dose, frequently administered, nebulized albuterol in children with severe, acute asthma. *Pediatrics*, 1989. 83(4): p. 513-8.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2927990

525.Schuh, S., et al., Nebulized albuterol in acute childhood asthma: comparison of two doses. *Pediatrics*, 1990. 86(4): p. 509-13.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2216613

526.Schuh, S., et al., A comparison of inhaled fluticasone and oral prednisone for children with severe acute asthma. *N Engl J Med*, 2000. 343(10): p. 689-94.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10974132

527.Schutze, G., [Possibilities for a reduction of long-term steroid treatment in asthmatic children during a stay in northsea climate (author's transl)]. *Monatsschr Kinderheilkd*, 1976. 124(7): p. 557-62.

Evidenzklasse: Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=940564)

[cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=940564](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=940564)

528.Schwartz, H. J., et al., A comparative study of the clinical efficacy of nedocromil sodium and placebo. How does cromolyn sodium compare as an active control treatment? *Chest*, 1996. 109(4): p. 945-52.

Evidenzklasse: Ib

Link:

529.Sears, M. R., et al., Parental and neonatal risk factors for atopy, airway hyper-responsiveness, and asthma. *Arch Dis Child*, 1996. 75(5): p. 392-8.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8957951

530.Sears, M. R., et al., Asthma mortality in New Zealand: a two year national study. N Z Med J, 1985. 98 (777): p. 271-5.

Evidenzklasse: III

Link:

531.Selby, C., et al., Inhaled salmeterol or oral theophylline in nocturnal asthma? Am J Respir Crit Care Med, 1997. 155(1): p. 104-8.

Evidenzklasse: III

Link:

532.Shah, L., et al., Long acting beta-agonists versus theophylline for maintenance treatment of asthma. Cochrane Database Syst Rev, 2003(3): p. CD001281.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12917905

533.Shaheen, S. O., et al., Birth weight, body mass index and asthma in young adults. Thorax, 1999. 54(5): p. 396-402.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10212102

534.Shapiro, GG, Long-term effects of budesonide or nedocromil in children with asthma. The Childhood Asthma Management Program Research Group. N Engl J Med, 2000. 343(15): p. 1054-63.

Evidenzklasse: Ib

Link: <http://www.ncbi.nlm.nih.gov/cgi-bin/Entrez/referer?http://www.nejm.org/content/scripts/search/page.asp%3fvolume=343&page=1054>

535.Sherrill, D., et al., On early sensitization to allergens and development of respiratory symptoms. Clin Exp Allergy, 1999. 29(7): p. 905-11.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10383590

536.Shim, C. S. and Williams, M. H., Jr., Evaluation of the severity of asthma: patients versus physicians. Am J Med, 1980. 68(1): p. 11-3.

Evidenzklasse: III

Link:

537.Shrestha, M., et al., Continuous vs intermittent albuterol, at high and low doses, in the treatment of severe acute asthma in adults. Chest, 1996. 110(1): p. 42-7.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8681661

538.Shrewsbury, S., Pyke, S., and Britton, M., Meta-analysis of increased dose of inhaled steroid or addition of salmeterol in symptomatic asthma (MIASMA). Bmj, 2000. 320(7246): p. 1368-73.

Evidenzklasse: Ia

Link: <http://www.ncbi.nlm.nih.gov/cgi-bin/Entrez/referer?http://www.bmj.com/cgi/content/full/320/7246/1368>

539.Sichletidis, L., et al., Comparative efficacy of salbutamol and salmeterol in exercise-induced asthma. J Int Med Res, 1993. 21(2): p. 81-8.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8243793

540.Siegel, D., et al., Aminophylline increases the toxicity but not the efficacy of an inhaled beta-adrenergic

agonist in the treatment of acute exacerbations of asthma. Am Rev Respir Dis, 1985. 132(2): p. 283-6.

Evidenzklasse: Ib

Link:

541.SIGN and 2002, Pharmacological management of asthma. Evidence table 4.4a: Inhaled corticosteroid vs theophylline. SIGN; 2002, 2002.

Evidenzklasse: I

Link: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>

542.SIGN and 2002, Pharmacological management of asthma. Evidence table 4.4c: inhaled corticosteroid vs leukotriene receptor antagonists. SIGN; 2002, 2002.

Evidenzklasse: I

Link: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>

543.SIGN and 2002, Pharmacological management of asthma. Evidence table 4.4j: do cromones work as first line preventor in children >5 years? SIGN, 2002. Edinburgh: SIGN, 2002., 2002.

Evidenzklasse: Ib

Link: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>

544.SIGN and 2002, Pharmacological management of asthma. Evidence table 4.21: Aspirin intolerant asthma. SIGN; 2002, 2002.

Evidenzklasse: I

Link: <http://www.sign.ac.uk/guidelines/published/support/guideline63/index.html>

545.SIGN and Network, Scottish Intercollegiate Guidelines, Primary Care Management of Asthma. SIGN Publication No. 33, 1998.

Evidenzklasse: Link: <http://www.show.scot.nhs.uk/sign/guidelines/fulltext/33/index.html>

546.SIGN and Network, Scottish Intercollegiate Guidelines, Emergency Management of Acute Asthma. A National Clinical Guideline. SIGN Publication Number 38, 1999.

Evidenzklasse: nicht bewertet

Link: <http://www.show.scot.nhs.uk/sign/guidelines/fulltext/38/index.html>

547.SIGN and Scottish Intercollegiate Guidelines Network , The British Thoracic Society, British Guideline on the Management of Asthma. Evidence table 4.13a: Immunosuppressive agents. Thorax, 2003. 58: p. Suppl.1.

Evidenzklasse: nicht bewertet

Link: <http://www.sign.ac.uk/guidelines/published/support/guideline63/download.html>

548.SIGN and Scottish Intercollegiate Guidelines Network , The British Thoracic Society, British Guideline on the Management of Asthma. Evidence table 4.25: Budesonide vs Beclomethasone. Thorax, 2003. 58: p. Suppl.1.

Evidenzklasse: nicht bewertet

Link: <http://www.show.scot.nhs.uk/sign/guidelines/published/support/guideline63/index.html>

549.SIGN and Scottish Intercollegiate Guidelines Network , The British Thoracic Society, British Guideline on the Management of Asthma. Evidence tables 4.11a-d. Thorax, 2003. 58: p. Suppl.1.

Evidenzklasse: nicht bewertet

Link: <http://www.show.scot.nhs.uk/sign/guidelines/published/support/guideline63/index.html>

550.SIGN and Scottish Intercollegiate Guidelines Network , The British Thoracic Society, British Guideline on the Management of Asthma. Evidence tables 4.22: Combined therapy of inhaled steroids and long acting B2 agonist. Thorax, 2003. 58: p. Suppl.1.

Evidenzklasse: nicht bewertet

Link: <http://www.show.scot.nhs.uk/sign/guidelines/published/support/guideline63/index.html>

551.SIGN and Scottish Intercollegiate Guidelines Network , The British Thoracic Society, British Guideline on the Management of Asthma. SIGN Publication Number 63. Thorax, 2003. 58: p. Suppl.1.

Evidenzklasse: Link: <http://www.sign.ac.uk/guidelines/published/support/guideline63/download.html>

552.Sigurs, N., et al., Respiratory syncytial virus bronchiolitis in infancy is an important risk factor for asthma and allergy at age 7. *Am J Respir Crit Care Med*, 2000. 161(5): p. 1501-7.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10806145

553.Sigurs, N., et al., Asthma and immunoglobulin E antibodies after respiratory syncytial virus bronchiolitis: a prospective cohort study with matched controls. *Pediatrics*, 1995. 95(4): p. 500-5.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7700748

554.Simon, H. U., et al., High altitude climate therapy reduces peripheral blood T lymphocyte activation, eosinophilia, and bronchial obstruction in children with house-dust mite allergic asthma. *Pediatr Pulmonol*, 1994. 17(5): p. 304-11.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8058424

555.Sims, D. G., et al., Study of 8-year-old children with a history of respiratory syncytial virus bronchiolitis in infancy. *Br Med J*, 1978. 1(6104): p. 11-14.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=620129

556.Sly, P. D., et al., Accuracy of mini peak flow meters in indicating changes in lung function in children with asthma. *Bmj*, 1994. 308(6928): p. 572-4.

Evidenzklasse: III

Link:

557.Sly, P. D. and Hibbert, M. E., Childhood asthma following hospitalization with acute viral bronchiolitis in infancy. *Pediatr Pulmonol*, 1989. 7(3): p. 153-8.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2797929

558.Sly, R. M. and O'Brien, S. R., Effect of oral terbutaline on exercise-induced asthma. *Ann Allergy*, 1982. 48(3): p. 151-5.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=7065478

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=7065478

559.Smith, E. C., Denyer, J., and Kendrick, A. H., Comparison of twenty three nebulizer/compressor combinations for domiciliary use. *Eur Respir J*, 1995. 8(7): p. 1214-21.

Evidenzklasse: III

Link:

560.Soleymani, Y., et al., Management of life-threatening asthma in children. A preliminary study of the use of morphine in respiratory failure. *Am J Dis Child*, 1972. 123(6): p. 533-40.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=4503912

561.Sommaruga, M., et al., The effects of a cognitive behavioural intervention in asthmatic patients. *Monaldi Arch Chest Dis*, 1995. 50(5): p. 398-402.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8541826

562.Soutar, A., Seaton, A., and Brown, K., Bronchial reactivity and dietary antioxidants. *Thorax*, 1997. 52(2): p. 166-70.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9059479

563. Spitzer, W. O., et al., The use of beta-agonists and the risk of death and near death from asthma. *N Engl J Med*, 1992. 326(8): p. 501-6.
Evidenzklasse: III
Link:

564. Sporik, R., Holgate, S. T., and Cogswell, J. J., Natural history of asthma in childhood--a birth cohort study. *Arch Dis Child*, 1991. 66(9): p. 1050-3.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1929511

565. Sporik, R., et al., Exposure to house-dust mite allergen (Der p I) and the development of asthma in childhood. A prospective study. *N Engl J Med*, 1990. 323(8): p. 502-7.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2377175

566. Stein, L. M. and Cole, R. P., Early administration of corticosteroids in emergency room treatment of acute asthma. *Ann Intern Med*, 1990. 112(11): p. 822-7.
Evidenzklasse: Ib
Link:

567. Stein, R. T., et al., Influence of parental smoking on respiratory symptoms during the first decade of life: the Tucson Children's Respiratory Study. *Am J Epidemiol*, 1999. 149(11): p. 1030-7.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10355379

568. Stenius-Aarniala, B., Piirila, P., and Teramo, K., Asthma and pregnancy: a prospective study of 198 pregnancies. *Thorax*, 1988. 43(1): p. 12-8.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2895502

569. Stenius-Aarniala, B., et al., Immediate and long term effects of weight reduction in obese people with asthma: randomised controlled study. *Bmj*, 2000. 320(7238): p. 827-32.
Evidenzklasse: Ib
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10731173

570. Stenius-Aarniala, B., Riikonen, S., and Teramo, K., Slow-release theophylline in pregnant asthmatics. *Chest*, 1995. 107(3): p. 642-7.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7874930

571. Stenius-Aarniala, B. S., Hedman, J., and Teramo, K. A., Acute asthma during pregnancy. *Thorax*, 1996. 51(4): p. 411-4.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8733495

572. Stewart, A., et al., A randomised controlled trial to assess the relative benefits of large volume spacers and nebulisers to treat acute asthma in hospital. *Arch Dis Child*, 1999. 80(5): p. 421-3.
Evidenzklasse: Ib
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10208945

573. Stone, D.W.G., et al., A comparison of fluticasone propionate, 100g twice daily, administered via a CFC and non CFC propellant, HFA 134a, in adult patients with asthma. *Clin Drug Invest*, 2001. 21: p. 695-703.
Evidenzklasse: Link:

574. Storms, W. W., et al., Use of ipratropium bromide in asthma. Results of a multi-clinic study. *Am J Med*, 1986. 81(5A): p. 61-6.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2947462

575.Strachan, D. P., Family size, infection and atopy: the first decade of the "hygiene hypothesis". Thorax, 2000. 55 Suppl 1: p. S2-10.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10943631

576.Strachan, D. P., et al., A national survey of asthma prevalence, severity, and treatment in Great Britain. Arch Dis Child, 1994. 70(3): p. 174-8.

Evidenzklasse: III

Link:

577.Strachan, D. P., Butland, B. K., and Anderson, H. R., Incidence and prognosis of asthma and wheezing illness from early childhood to age 33 in a national British cohort. Bmj, 1996. 312(7040): p. 1195-9.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8634562

578.Strachan, D. P. and Cook, D. G., Health effects of passive smoking. 1. Parental smoking and lower respiratory illness in infancy and early childhood. Thorax, 1997. 52(10): p. 905-14.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9404380

579.Strachan, D. P. and Cook, D. G., Health effects of passive smoking .5. Parental smoking and allergic sensitisation in children. Thorax, 1998. 53(2): p. 117-23.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9624297

580.Strachan, D. P. and Cook, D. G., Health effects of passive smoking. 6. Parental smoking and childhood asthma: longitudinal and case-control studies. Thorax, 1998. 53(3): p. 204-12.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9659358

581.Suissa, S., Blais, L., and Ernst, P., Patterns of increasing beta-agonist use and the risk of fatal or near-fatal asthma. Eur Respir J, 1994. 7(9): p. 1602-9.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7995388

582.Suissa, S., et al., Effectiveness of the leukotriene receptor antagonist zafirlukast for mild-to-moderate asthma. A randomized, double-blind, placebo-controlled trial. Ann Intern Med, 1997. 126(3): p. 177-83.

Evidenzklasse: Ib

Link:

583.Sullivan, P., et al., Anti-inflammatory effects of low-dose oral theophylline in atopic asthma. Lancet, 1994. 343(8904): p. 1006-8.

Evidenzklasse: Ib

Link:

584.Summers, Q. A. and Tarala, R. A., Nebulized ipratropium in the treatment of acute asthma. Chest, 1990. 97(2): p. 425-9.

Evidenzklasse: Ib

Link:

585.Svanes, C., et al., Pet-keeping in childhood and adult asthma and hay fever: European community respiratory health survey. J Allergy Clin Immunol, 2003. 112(2): p. 289-300.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12897734

586. symposium, A report of the conclusions of a CIBA guest, Terminology, definitions and classifications of chronic pulmonary emphysema and related conditions. Thorax, 1959. 14: p. 286-99.
Evidenzklasse: Link:

587. Tal, A., Levy, N., and Bearman, J. E., Methylprednisolone therapy for acute asthma in infants and toddlers: a controlled clinical trial. Pediatrics, 1990. 86(3): p. 350-6.
Evidenzklasse: IIa
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2201941

588. Tanser, A. R. and Elmes, J., A controlled trial of ketotifen in exercise-induced asthma. Br J Dis Chest, 1980. 74(4): p. 398-402.
Evidenzklasse: Ib
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=6783059

589. Tariq, S. M., et al., The prevalence of and risk factors for atopy in early childhood: a whole population birth cohort study. J Allergy Clin Immunol, 1998. 101(5): p. 587-93.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9600493

590. Taytard, A., et al., Prevention of exercise-induced asthma by oxitropium bromide. Eur J Clin Pharmacol, 1987. 33(5): p. 455-8.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=3428339

591. Trautner, C., Richter, B., and Berger, M., Cost-effectiveness of a structured treatment and teaching programme on asthma. Eur Respir J, 1993. 6(10): p. 1485-91.
Evidenzklasse: III
Link:

592. Travers, A., et al., Intravenous beta2-agonists for acute asthma in the emergency department. Cochrane Database Syst Rev, 2001. 2.
Evidenzklasse: Link: <http://www.ncbi.nlm.nih.gov/htbin-post/Entrez/query?db=m&form=6&dopt=r&uid=11406055>

593. Travers, A., et al., Intravenous beta2-agonists for acute asthma in the emergency department. Cochrane Database Syst Rev, 2003. 2.
Evidenzklasse: Ia
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11406055

594. Trefny, P., et al., Family history of atopy and clinical course of RSV infection in ambulatory and hospitalized infants. Pediatr Pulmonol, 2000. 30(4): p. 302-6.
Evidenzklasse: III
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11015130

595. Tukiainen, H., et al., Comparison of high and low dose of the inhaled steroid, budesonide, as an initial treatment in newly detected asthma. Respir Med, 2000. 94(7): p. 678-83.
Evidenzklasse: Ib
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=10926339

596. Tunnicliffe, W. S., Burge, P. S., and Ayres, J. G., Effect of domestic concentrations of nitrogen dioxide on airway responses to inhaled allergen in asthmatic patients. Lancet, 1994. 344(8939-8940): p. 1733-6.
Evidenzklasse: Ib
Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7997002

597. Turner, E. S., Greenberger, P. A., and Patterson, R., Management of the pregnant asthmatic patient. *Ann Intern Med*, 1980. 93(6): p. 905-18.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6778281

598. Turner, M. O., et al., Risk factors for near-fatal asthma. A case-control study in hospitalized patients with asthma. *Am J Respir Crit Care Med*, 1998. 157(6 Pt 1): p. 1804-9.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9620909

599. Turner, M. O., et al., A randomized trial comparing peak expiratory flow and symptom self- management plans for patients with asthma attending a primary care clinic. *Am J Respir Crit Care Med*, 1998. 157(2): p. 540-6.

Evidenzklasse: Ib

Link: <http://www.ncbi.nlm.nih.gov/cgi-bin/Entrez/referer?http://www.ajrccm.org/cgi/content/full/157/2/540>

600. Udawadia, Z. F. and Harrison, B. D., An attempt to determine the optimal duration of hospital stay following a severe attack of asthma. *J R Coll Physicians Lond*, 1990. 24(2): p. 112-4.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2352195

601. Ukena, D., et al., [Therapy of nocturnal asthma: salmeterol versus nocturnal administration of retard theophylline--comparison of effectiveness and tolerance]. *Pneumologie*, 1997. 51(3): p. 317-23.

Evidenzklasse: Ib

Link:

602. Ulrik, C. S., et al., Risk factors for development of asthma in children and adolescents: findings from a longitudinal population study. *Respir Med*, 1996. 90(10): p. 623-30.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8959120

603. van der Heide, S., et al., Clinical effects of air cleaners in homes of asthmatic children sensitized to pet allergens. *J Allergy Clin Immunol*, 1999. 104(2 Pt 1): p. 447-51.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10452769

604. van der Molen, T., et al., Starting with a higher dose of inhaled corticosteroids in primary care asthma treatment. *Am J Respir Crit Care Med*, 1998. 158(1): p. 121-5.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=9655717

605. van der Molen, T., et al., Effects of the long acting beta agonist formoterol on asthma control in asthmatic patients using inhaled corticosteroids. The Netherlands and Canadian Formoterol Study Investigators. *Thorax*, 1997. 52(6): p. 535-9.

Evidenzklasse: Ib

Link:

606. Van Ganse, E., et al., Effects of antihistamines in adult asthma: a meta-analysis of clinical trials. *Eur Respir J*, 1997. 10(10): p. 2216-24.

Evidenzklasse: Ia

Link:

607. van Grunsven, P. M., et al., Compliance during long-term treatment with fluticasone propionate in subjects with early signs of asthma or chronic obstructive pulmonary disease (COPD): results of the Detection, Intervention, and Monitoring Program of COPD and Asthma (DIMCA) Study. *J Asthma*, 2000. 37(3): p. 225-34.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10831147

608.van Noord, J. A., et al., Addition of salmeterol versus doubling the dose of fluticasone propionate in patients with mild to moderate asthma. *Thorax*, 1999. 54(3): p. 207-12.

Evidenzklasse: Ib

Link: <http://www.ncbi.nlm.nih.gov/cgi-bin/Entrez/referer?http://www.thoraxjnl.com/cgi/content/full/54/3/207>

609.van Noord, J. A., et al., Salmeterol versus formoterol in patients with moderately severe asthma: onset and duration of action. *Eur Respir J*, 1996. 9(8): p. 1684-8.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8866595

610.Venables, K. M., et al., Peak flow rate records in surveys: reproducibility of observers' reports. *Thorax*, 1984. 39(11): p. 828-32.

Evidenzklasse: III

Link:

611.Verberne, A. A., et al., One year treatment with salmeterol compared with beclomethasone in children with asthma. The Dutch Paediatric Asthma Study Group. *Am J Respir Crit Care Med*, 1997. 156(3 Pt 1): p. 688-95.

Evidenzklasse: Ib

Link: <http://www.ncbi.nlm.nih.gov/cgi-bin/Entrez/referer?http://www.ajrccm.org/cgi/content/full/156/3/688>

612.Villa, J. R., et al., Serum eosinophilic cationic protein may predict clinical course of wheezing in young children. *Arch Dis Child*, 1998. 78(5): p. 448-52.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9659092

613.von Mutius, E., et al., Relation of body mass index to asthma and atopy in children: the National Health and Nutrition Examination Study III. *Thorax*, 2001. 56(11): p. 835-8.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11641506

http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11641506

614.Voshaar, Th. et al, Empfehlungen für die Auswahl von Inhalationssystemen zur Medikamentenverabreichung. *Pneumologie*, 2001. 55: p. 579-586.

Evidenzklasse: IV

Link:

615.Waalkens, H. J., et al., Cessation of long-term treatment with inhaled corticosteroid (budesonide) in children with asthma results in deterioration. The Dutch CNSLD Study Group. *Am Rev Respir Dis*, 1993. 148(5): p. 1252-7.

Evidenzklasse: Ib

Link:

616.Walters, EH and Walters, J, Inhaled short acting beta 2 agonisten use in asthma:regular versus as needed treatment (Cochrane Review). *The Cochrane Library*, 2001(3).

Evidenzklasse: Link:

617.Ward, M. J., et al., Ipratropium bromide in acute asthma. *Br Med J (Clin Res Ed)*, 1981. 282(6264): p. 598-600.

Evidenzklasse: III

Link:

618.Ward, MJ., The role of anti-cholinergic drugs in acute asthma, in *Anticholinergic Therapy in Obstructive Airways Disease*, G. NJ, Editor. 1993, Franklin Scientific: London. p. 155-62.

Evidenzklasse: IV

Link:

619. Wareham, N. J., et al., A district confidential enquiry into deaths due to asthma. *Thorax*, 1993. 48(11): p. 1117-20.

Evidenzklasse: III

Link:

620. Warner, J. A., Controlling indoor allergens. *Pediatr Allergy Immunol*, 2000. 11(4): p. 208-19.

Evidenzklasse: IV

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11110574

621. Warner, J. A., Marchant, J. L., and Warner, J. O., Double blind trial of ionisers in children with asthma sensitive to the house dust mite. *Thorax*, 1993. 48(4): p. 330-3.

Evidenzklasse: IIa

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8511730

622. Warner, J. O., A double-blinded, randomized, placebo-controlled trial of cetirizine in preventing the onset of asthma in children with atopic dermatitis: 18 months' treatment and 18 months' posttreatment follow-up. *J Allergy Clin Immunol*, 2001. 108(6): p. 929-37.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11742270

623. Watanabe, T., et al., Decrease in emergency room or urgent care visits due to management of bronchial asthma inpatients and outpatients with pharmaceutical services. *J Clin Pharm Ther*, 1998. 23(4): p. 303-9.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9867314

624. Watson, W. T., Becker, A. B., and Simons, F. E., Treatment of allergic rhinitis with intranasal corticosteroids in patients with mild asthma: effect on lower airway responsiveness. *J Allergy Clin Immunol*, 1993. 91(1 Pt 1): p. 97-101.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=8423275

625. Wendel, P. J., et al., Asthma treatment in pregnancy: a randomized controlled study. *Am J Obstet Gynecol*, 1996. 175(1): p. 150-4.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8694041

626. Wesseldine, L. J., McCarthy, P., and Silverman, M., Structured discharge procedure for children admitted to hospital with acute asthma: a randomised controlled trial of nursing practice. *Arch Dis Child*, 1999. 80(2): p. 110-4.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10325723

627. Wettengel, R., et al., [Asthma therapy in children and adults. Recommendations of the German Respiratory League of the German Society of Pneumology]. *Med Klin*, 1998. 93(11): p. 639-50.

Evidenzklasse: IV

Link:

628. Whyte, K. F., et al., Dose of nebulized ipratropium bromide in acute severe asthma. *Respir Med*, 1991. 85(6): p. 517-20.

Evidenzklasse: Ib

Link:

629. Wichmann, H. E. and Heinrich, J., Health effects of high level exposure to traditional pollutants in East Germany--review and ongoing research. *Environ Health Perspect*, 1995. 103 Suppl 2: p. 29-35.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7614943

630. Wiegand, L., et al., Salmeterol vs theophylline: sleep and efficacy outcomes in patients with nocturnal asthma. *Chest*, 1999. 115(6): p. 1525-32.

Evidenzklasse: Ib

Link:

631. Wildhaber, J. H., et al., Aerosol delivery to wheezy infants: a comparison between a nebulizer and two small volume spacers. *Pediatr Pulmonol*, 1997. 23(3): p. 212-6.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9094730

632. Williams, M. V., et al., Inadequate literacy is a barrier to asthma knowledge and self-care. *Chest*, 1998. 114(4): p. 1008-15.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9792569

633. Williams, S. J., Parrish, R. W., and Seaton, A., Comparison of intravenous aminophylline and salbutamol in severe asthma. *Br Med J*, 1975. 4(5998): p. 685.

Evidenzklasse: Link:

634. Wilson, A. J., Gibson, P. G., and Coughlan, J., Long acting beta-agonists versus theophylline for maintenance treatment of asthma. *Cochrane Database Syst Rev*, 2000. 2.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/cgi-bin/Entrez/referer?http://www.update-software.com/abstracts/ab00128_1.htm

635. Wilson, A. M., et al., Evaluation of salmeterol or montelukast as second-line therapy for asthma not controlled with inhaled corticosteroids. *Chest*, 2001. 119(4): p. 1021-6.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=11296164

636. Withers, N. J., et al., The natural history of respiratory symptoms in a cohort of adolescents. *Am J Respir Crit Care Med*, 1998. 158(2): p. 352-7.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9700106

637. Wolfe, R., et al., Association between allergy and asthma from childhood to middle adulthood in an Australian cohort study. *Am J Respir Crit Care Med*, 2000. 162(6): p. 2177-81.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11112134

638. Wolkove, N., et al., The effect of ipratropium on exercise-induced bronchoconstriction, in *Ann Allergy*. 1981. p. 311-5.

Evidenzklasse: Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=6459045

639. Wood, R. A., et al., The effect of cat removal on allergen content in household-dust samples. *J Allergy Clin Immunol*, 1989. 83(4): p. 730-4.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2708734

640. Wood, R. A., et al., A placebo-controlled trial of a HEPA air cleaner in the treatment of cat allergy. *Am J Respir Crit Care Med*, 1998. 158(1): p. 115-20.

Evidenzklasse: IIa

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9655716

641. Woodruff, P. G., et al., Sudden-onset severe acute asthma: clinical features and response to therapy. *Acad Emerg Med*, 1998. 5(7): p. 695-701.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9678394

642.Woods, RK, Thien, FC, and Abramson, MJ, Dietary marine fatty acids (fish oil) for asthma (Cochrane review). The Cochrane Library, 2001(3).

Evidenzklasse: Link:

643.Woolcock, A., et al., Comparison of addition of salmeterol to inhaled steroids with doubling of the dose of inhaled steroids. Am J Respir Crit Care Med, 1996. 153(5): p. 1481-8.

Evidenzklasse: Ib

Link:

644.Wouden, J. C., et al., Inhaled sodium cromoglycate for asthma in children. Cochrane Database Syst Rev, 2003(3): p. CD002173.

Evidenzklasse: Ia

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=12917923

645.Wright, A. L., et al., Factors influencing the relation of infant feeding to asthma and recurrent wheeze in childhood. Thorax, 2001. 56(3): p. 192-7.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11182011

646.Wright, R. O., et al., Evaluation of pre- and posttreatment pulse oximetry in acute childhood asthma. Acad Emerg Med, 1997. 4(2): p. 114-7.

Evidenzklasse: IIa

Link:

647.Yates, D. H., Worsdell, M., and Barnes, P. J., Effect of regular salmeterol treatment on albuterol-induced bronchoprotection in mild asthma. Am J Respir Crit Care Med, 1997. 156(3 Pt 1): p. 988-91.

Evidenzklasse: Ib

Link: <http://www.ncbi.nlm.nih.gov/cgi-bin/Entrez/referer?http://www.ajrccm.org/cgi/content/full/156/3/988>

648.Yoon, R., et al., Controlled trial evaluation of an asthma education programme for adults. Thorax, 1993. 48(11): p. 1110-6.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8296253

649.Young, S., et al., The influence of a family history of asthma and parental smoking on airway responsiveness in early infancy. N Engl J Med, 1991. 324(17): p. 1168-73.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2011160

650.Young, S., et al., Lung function, airway responsiveness, and respiratory symptoms before and after bronchiolitis. Arch Dis Child, 1995. 72(1): p. 16-24.

Evidenzklasse: III

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7717730

651.Yung, M. and South, M., Randomised controlled trial of aminophylline for severe acute asthma. Arch Dis Child, 1998. 79(5): p. 405-10.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10193252

652.Yurdakul, A. S., et al., Comparison of second controller medications in addition to inhaled corticosteroid in patients with moderate asthma. Respir Med, 2002. 96(5): p. 322-9.

Evidenzklasse: Ib

Link: http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&dopt=Citation&list_uids=1

[2113382](#)

653.Zeiger, rs , et al., Genetic and environmental factors affecting the development of atopy through age 4 in children of atopic parents: a prospective randomized study of food allergen avoidance. *Pediatric Allergy Immunology*, 1992. 3: p. 110-27.

Evidenzklasse: Ib

Link:

[\[Start Leitlinien\]](#) [\[» Asthma\]](#) [\[Algo. Diagnose\]](#) [\[Algorith. Therapie\]](#) [\[Algorith. Notfall\]](#) [\[Diagnose Text\]](#) [\[Therapie Text\]](#) [\[Sonderfälle\]](#) [\[Notfall\]](#) [\[Hintergründe\]](#) [\[Referenzen\]](#) [\[Patientenleitlinie\]](#) [\[Impressum\]](#) [\[» Kopfschmerzen\]](#) [\[» Hypertonie\]](#) [\[» Otitis media\]](#) [\[» Gallensteine\]](#) [\[» Herzinsuffizienz\]](#) [\[» Demenz\]](#) [\[» Harnwegsinfekt\]](#) [\[» KR-Karzinom\]](#) [\[» Dekubitus\]](#) [\[Ihre Meinung?\]](#) [\[Interne Infos\]](#)

Sch
Te
W
sam
F
Mediz

© Medizinisches Wissensnetzwerk evidence.de der Universität Witten/Herdecke Patienten...

Update:17/06/05 u-ko.de