

KR-Karzinom Referenzen



Leitlinie Kolorektales Karzinom, Referenzen:

Literatur

Originaldokument der VOLLTEXTVERSION: Leitlinie der Arbeitsgemeinschaft Gastroenterologische Onkologie / Deutsche Gesellschaft für Verdauungs- und Stoffwechselkrankheiten (DGVS)

1.Aarnio M, Mecklin JP, Aaltonen LA, Nystrom-Lahti M, Jarvinen HJ: Lifetime risk of different cancer in hereditary non-polyposis colorectal cancer (HNPCC) syndrome. Int J Cancer 1995; 64: 430-3

2.Ahlquist DA: Triage by flexible sigmoidoscopy: inevitably "short-sighted". Gastroenterology 1998; 115: 777-80

3.Ahsan H, Neugut AI, Garbowski GC, et al.: Family history of colorectal adenomatous polyps and increased risk for colorectal cancer. Ann Intern Med 1998; 128: 900-5

4.Arvanitis ML, Jagelman DG, Fazio VW, Lavery IC, McGannon E: Mortality in patients with familial adenomatous polyposis. Dis Colon Rectum 1990; 33: 639

5.Atkin WS, Morson BC, Cuzick J: Long-term risk of colorectal cancer after excision of rectosigmoid adenomas. N Engl J Med 1992; 326: 658-62

6.Baron JA, Beach M, Mandel JS, et al.: Calcium supplements for the prevention of colorectal adenomas. Calcium Polyp Prevention Study Group. N Engl J Med 1999; 340: 101-7

7.Baron JA, Sandler RS, Haile RW, Mandel JS, Mott LA, Greenberg ER: Folate intake, alcohol consumption, cigarette smoking, and risk of colorectal adenomas. J Natl Cancer Inst 1998; 90: 57-62

8.Bensen S, Mott LA, Dain B, Rothstein R, Baron J: The colonoscopic miss rate and true one-year recurrence of colorectal neoplastic polyps. Polyp Prevention Study Group. Am J Gastroenterol 1999; 94: 194-9

9.Binder V, Hendriksen C, Kreiner S: Prognosis in Crohn's disease based on results from a regional patient group from the county of Copenhagen. Gut 1985; 26: 146-50

10.Boardman LA, Thibodeau SN, Schaid DJ, et al.: Increased risk for cancer in patients with the Peutz-Jeghers syndrome. *Ann Intern Med* 1998; 128: 896-9

11.Böcker U, Katschinski B, Layer P: Colitis ulcerosa: Kein erhöhtes Risiko kolorektaler Karzinome? *Z Gastroenterol* 1994; 32: 184-5

12.Bohr J, Tysk C, Eriksson S, Abrahamsson H, Järnerot G: Collagenous colitis: a retrospective study of clinical presentation and treatment in 163 patients. *Gut* 1996; 39: 846-51

13.Bonelli L, Martines H, Conio M: Family history of colorectal cancer as a risk factor for benign and malignant tumours of the large bowel. A case-control study. *Int J Cancer* 1988; 41: 513-7

14.Bostick RM, Potter JD, McKenzie DR, et al.: Reduced risk of colon cancer with high intake of vitamin E: the Iowa Women's Health Study. *Cancer Res* 1993; 53: 4230-7

15.Bülow S: Clinical features in familial polyposis coli. Results of the Danish Polyposis Register. *Dis Colon Rectum* 1986; 29: 102-7

16.Burke W, Petersen G, Lynch P, et al.: Recommendations for follow-up care of individuals with inherited predisposition to cancer. *JAMA* 1997; 277: 915-9

17.Choi PM, Nugent FW, Schoetz DJ, Silverman ML, Haggitt RC: Colonoscopic surveillance reduces mortality from colorectal cancer in ulcerative colitis. *Gastroenterology* 1993; 105: 418-24

18.Christie JP: Colonoscopic excision of large sessile polyps. *Am J Gastroenterol* 1977; 67: 430-8

19.Clark LC, Cantor KP, Allaway WH: Selenium in forage crops and cancer mortality in US countries. *Arch Environ Health* 1991; 46: 37-42

20.Coburn MC, Pricolo VE, DeLuca FG, Bland KI: Malignant potential in intestinal juvenile polyposis syndromes. *Ann Surg Oncol* 1995; 2: 386-91

21.Connell WR, Talbot IC, Harpaz N, et al.: Clinicopathological characteristics of colorectal carcinoma complicating ulcerative colitis. *Gut* 1994; 35: 1419-23

22.Cooper HS, Deppisch LM, Gourley WK, et al.: Endoscopically removed malignant colorectal polyps: clinicopathologic correlations. *Gastroenterology* 1995; 108: 1657-65

23.Cooper HS, Deppisch LM, Kahn EI, et al.: Pathology of the malignant colorectal polyp. Hum Pathol 1998; 29: 15-26

24.Cunningham KN, Mills LR, Schuman BM, Mwakyusa DH: Long-term prognosis of well-differentiated adenocarcinoma in endoscopically removed colorectal adenomas. Dig Dis Sci 1994; 39: 2034-7

25.De Cosse JJ, Bülow S, Neale K, et al.: Rectal cancer risk in patients treated for familial adenomatous polyposis. The Leeds Castle Polyposis Group. Br J Surg 1992; 79: 1372-5

26.Deutsche Krebsgesellschaft und ihre Arbeitsgemeinschaften, Deutsche Gesellschaft für Chirurgie und Deutsche Gesellschaft für Verdauungs- und Stoffwechselkrankheiten: Interdisziplinäre Leitlinie zur Therapie des Kolonkarzinoms. Forum DKG 1999; 14: 132-8

27.Deutsche Krebsgesellschaft und ihre Arbeitsgemeinschaften, Deutsche Gesellschaft für Chirurgie und Deutsche Gesellschaft für Verdauungs- und Stoffwechselkrankheiten: Interdisziplinäre Leitlinie zur Therapie des Rektumkarzinoms. Forum DKG 1999; 14: 140-7

28.Eckardt VF, Fuchs M, Kanzler G, Remmele W, Stienen U: Follow-up of patients with colonic polyps containing severe atypia and invasive carcinoma. Compliance, recurrence, and survival. Cancer 1988; 61: 2552-7

29.Ekbom A, Helmick C, Zack M, Adami HO: Increased risk of large-bowel cancer in Crohn's disease with colonic involvement. Lancet 1990; 336: 357-9

30.Ekbom A, Helmick CG, Zack M, Adami HO: Ulcerative colitis and colorectal cancer. A population-based study. N Engl J Med 1990; 323: 1228-33

31.Foulkes WD: A tale of four syndromes: familial adenomatous polyposis, Gardner syndrome, attenuated APC and Turcot syndrome. Q J Med 1995; 88:853-63

32.Frühmorgen P, Kriel L: Leitlinien zur endoskopischen Ektomie kolorektaler Polypen mit der Schlinge. Z Gastroenterol 1998; 36: 117-9

33.Fuchs CS, Giovannucci EL, Colditz GA, Hunter DJ, Speizer FE, Willett WC: A prospective study of family history and the risk of colorectal cancer. N Engl J Med 1994; 331: 1669-74

34.Fuchs CS, Giovannuci EL, Colditz GA, et al.: Dietary fiber and the risk of colorectal cancer and adenoma in women. N Engl J Med 1999; 340: 169-76

35. Ghadirian P, Lacroix A, Maisonneuve P, et al.: Nutritional factors and colon carcinoma: a case-control study involving French Canadians in Montreal, Quebec, Canada. *Cancer* 1997; 80: 858-64
36. Giardiello FM, Welsh SB, Hamilton SR, et al.: Increased risk of cancer in the Peutz-Jeghers syndrome. *N Engl J Med* 1987; 316: 1511-4
37. Gillen CD, Andrews HA, Prior P, Allan RN: Crohn's disease and colorectal cancer. *Gut* 1994; 35: 651-5
38. Giovannucci E, Stampfer MJ, Colditz GA, et al.: Multivitamin use, folate and colon cancer in women in the nurses' health study. *Ann Intern Med* 1998; 129: 517-24
39. Gnauck R, Macrae FA, Fleisher M: How to perform the fecal occult blood test. *CA Cancer J Clin* 1984; 34: 134-47
40. Greenberg ER, Baron JA: Aspirin and other nonsteroid anti-inflammatory drugs as cancer-preventive agents. *IARC Sci Publ* 1996; 139: 91-8
41. Greenstein AJ, Sachar DB, Smith H, Janowitz HD, Aufses AH: A comparison of cancer risk in Crohn's disease and ulcerative colitis. *Cancer* 1981; 48: 2742-5
42. Guillem JG, Bastar AL, Ng J, Huhn JL, Cohen AM: Clustering of colorectal cancer in families of probands under 40 years of age. *Dis Colon Rectum* 1996; 39: 1004-7
43. Guillem JG, Forde KA, Treat MR, et al.: Colonoscopic screening for neoplasms in asymptomatic first-degree relatives of colon cancer patients. A controlled, prospective study. *Dis Colon Rectum* 1992; 35: 523-9
44. Gullberg K, Stahlberg D, Liljequist T, et al.: Neoplastic transformation of the pelvic pouch mucosa in patients with ulcerative colitis. *Gastroenterology* 1997; 112: 1487-92
45. Gupta RA, DuBois RN: Aspirin, NSAIDS, and colon cancer prevention: mechanisms? *Gastroenterology* 1998; 114: 1095-8
46. Gyde SN, Prior P, Allan RN, et al.: Colorectal cancer in ulcerative colitis: a cohort study of primary referrals from three centers. *Gut* 1988; 29: 206-17

47.Hall NR, Bishop DT, Stephenson BM, Finan PJ: Hereditary susceptibility to colorectal cancer. Relatives of early onset cases are particularly at risk. *Dis Colon Rectum* 1996; 39: 739-43

48.Hardcastle JD, Thomas WM, Chamberlain J, et al.: Randomised, controlled trial of faecal occult blood screening for colorectal cancer. Results for first 107.349 subjects. *Lancet* 1989; I: 1160-4

49.Hart AR, Kudo S, Mackay EH, Mayberry JF, Atkin WS: Flat adenomas exist in asymptomatic people: important implications for colorectal cancer screening programmes. *Gut* 1998; 43: 229-31

50.Heilbrun LK, Nomura A, Hankin JH, Stemmermann GN: Diet and colorectal cancer with special reference to fiber intake. *Int J Cancer* 1989; 44: 1-6

51.Herbay A, Herfarth C, Otto HF: Cancer and dysplasia in ulcerative colitis: a histologic study of 301 surgical specimen. *Z Gastroenterol* 1994; 32: 382-8

52.Herfarth C, Heuschen G, Heuschen UA: Die maligne Entartung im Verlauf der Colitis ulcerosa und ihre chirurgischen Implikationen. *Chirurg* 1998; 69: 1020-7

53.Heuschen G, Heuschen UA, Herfarth C: Primär sklerosierende Cholangitis - Colitis ulcerosa assoziierte Erkrankung mit chirurgischen Konsequenzen. *Chirurg* 1998; 69: 1028-34

54.Hunt LM, Rooney PS, Hardcastle JD, Armitage NC: Endoscopic screening of relatives of patients with colorectal cancer. *Gut* 1998; 42: 71-5

55.Jacobs DR Jr, Marquart L, Slavin J, Kushi LH: Whole-grain intake and cancer: an expanded review and meta-analysis. *Nutr Cancer* 1998; 30: 85-96

56.Jass JR, Sobin LH: Histological typing of colorectal tumours. 2nd ed. WHO International Histological Classification of Tumours. Berlin, Heidelberg, New York, Tokyo: Springer, 1989

57.Karita M, Cantero D, Okita K: Endoscopic diagnosis and resection treatment for flat adenoma with severe dysplasia. *Am J Gastroenterol* 1993; 88: 1421-3

58.Karlen P, Kornfeld D, Brostrom O, Lofberg R, Persson PG, Ekblom A: Is colonoscopic surveillance reducing colorectal cancer mortality in ulcerative colitis? A population based case control study. *Gut* 1998; 42: 711-4

59.Karnes WE: Epidemiology and etiology of sporadic colorectal adenocarcinoma. Current opinion in

Gastroenterology 1994; 10: 19-26

60.Kewenter J, Bjork S, Haglind E, Smith L, Svanvik J, Ahren C: Screening and rescreening for colorectal cancer. A controlled trial of fecal occult blood testing in 27.700 subjects. Cancer 1988; 62: 645-51

61.Kornbluth A, Sachar DB: Ulcerative colitis practice guidelines in adults. American College of Gastroenterology, Practice Parameters Committee. Am J Gastroenterol 1997; 92: 204-11

62.Kronborg O, Fenger C, Sondergaard O, Pedersen KM, Olsen J: Initial mass screening for colorectal cancer with fecal occult blood test. A prospective randomized study at Funen in Denmark. Scand J Gastroenterology 1987; 22: 677-86

63.Kudo S, Kashida H, Nakajima T, Tamura S, Nakajo K: Endoscopic diagnosis and treatment of early colorectal cancer. World J Surg 1997; 21: 694-701

64.Kudo S, Kashida H, Tamura S, Nakajima T: The problem of "flat" colonic adenoma. Gastrointest Endosc Clin N Am 1997; 7: 87-98

65.Kudo S, Tamura S, Hirota S, et al.: The problem of de novo colorectal carcinoma. Eur J Cancer 1995; 31A: 1118-20

66.Kudo S, Tamura S, Nakajima T, Yamano H, Kusaka H, Watanabe H: Diagnosis of colorectal tumorous lesions by magnifying endoscopy. Gastrointest Endosc 1996; 44: 8-14

67.Kune GA, Kune S, Watson LF: The role of heredity in the etiology of large bowel cancer: data from the Melbourne Colorectal Cancer Study. World J Surg 1989; 13: 124-9

68.Kune S, Kune GA, Watson LF: Case-control study of alcoholic beverages as etiological factors: the Melbourne Colorectal Cancer Study. Nutr Cancer 1987; 9: 43-56

69.Langholz E, Munkholm P, Davidsen M, Binder V: Colorectal cancer risk and mortality in patients with ulcerative colitis. Gastroenterology 1992; 103: 1444-51

70.Lashner BA, Provencher KS, Seidner DL, Knesebeck A, Brzezinski A: The effect of folic acid supplementation on the risk for cancer or dysplasia in ulcerative colitis. Gastroenterology 1997; 112: 29-32

71.Loftus EV, Sandborn WJ, Tremaine WJ, et al.: Risk of colorectal neoplasia in patients with primary sclerosing cholangitis. Gastroenterology 1996; 110: 432-40

72.Lyon JL, Mahoney AW, West DW, et al.: Energy intake: its relationship to colon cancer risk. *J Natl Cancer Inst* 1987; 78: 853-61

73.Macrae FA: Fat and calories in colon and breast cancer: from animal studies to controlled clinical trials. *Prev Med* 1993; 22: 750-66

74.Mallory SB: Cowden syndrome (multiple hamartoma syndrome). *Dermatol Clin* 1995; 13: 27-31

75.Mandel JS, Bond JH, Church TR, et al.: Reducing mortality from colorectal cancer by screening for fecal occult blood. Minnesota Colon Cancer Control Study. *N Engl J Med* 1993; 328: 1365-71

76.Marchesa P, Lashner BA, Lavery IC, et al.: The risk of cancer and dysplasia among ulcerative colitis patients with primary sclerosing cholangitis. *Am J Gastroenterol* 1997; 92: 1285-8

77.Markowitz AJ, Winawer SJ: Management of colorectal polyps. *CA Cancer J Clin* 1997; 47: 93-112

78.Meagher AP, Stuart M: Colonoscopy in patients with a family history of colorectal cancer. *Dis Colon Rectum* 1992; 35: 315-21

79.Muller AD, Sonnenberg A: Prevention of colorectal cancer by flexible endoscopy and polypectomy. A case-control study of 32,702 veterans. *Ann Intern Med* 1995; 123: 904-10

80.Muller AD, Sonnenberg A: Protection by endoscopy against death from colorectal cancer. A case-control study among veterans. *Arch Intern Med* 1995; 155: 1741-8

81.Netzer P, Forster C, Biral R, et al.: Risk factor assessment of endoscopically removed malignant colorectal polyps. *Gut* 1998; 43: 669-74

82.Neugut AI, Garbowski GC, Lee WC, et al.: Dietary risk factors for the incidence and recurrence of colorectal adenomatous polyps. A case-control study. *Ann Intern Med* 1993; 118: 91-5

83.Newcomb PA, Norfleet RG, Storer BE, Surawicz TS, Marcus PM: Screening sigmoidoscopy and colorectal cancer mortality. *J Natl Cancer Inst* 1992; 84: 1572-5

84.Nuako KW, Ahlquist DA, Sanborn WJ, Mahoney DW, Siems DM, Zinsmeister AR: Primary sclerosing cholangitis and colorectal carcinoma in patients with ulcerative colitis: a case-control study. *Cancer* 1998;

82: 822-6

85.Otchy DP, Ransohoff DF, Wolff BG, et al.: Metachronous colon cancer in persons who have had a large adenomatous polyp. *Am J Gastroenterol* 1996; 91: 448-54

86.Papadopoulos N, Lindblom A: Molecular basis of HNPCC: mutations of MMR genes. *Hum Mut* 1997; 10: 89-99

87.Pariante A, Milan C, Lafon J, Faivre J: Colonoscopic screening in first-degree relatives of patients with 'sporadic' colorectal cancer: a case-control study. The Association Nationale des Gastroenterologues des Hospitaux and Registre Bouguignon des Cancer Digestifs (INSERM CRI 9505). *Gastroenterology* 1998; 115: 7-12.

88.Persson PG, Karlen P, Bernell O, et al.: Crohn's disease and cancer: a population-based cohort study. *Gastroenterology* 1994; 107: 1675-9

89.Pinczowski D, Ekblom A, Baron J, Yuen J, Adami HO: Risk factors for colorectal cancer in patients with ulcerative colitis. a case-control study. *Gastroenterology* 1994; 107: 117-20

90.Potter JD, McMichael AJ: Diet and cancer of the colon and rectum: a case-control study. *J Natl Cancer Inst* 1986; 76: 557-569

91.Pritchard RS, Baron JA, Gerhardsson de Verdier M: Dietary calcium, vitamin D and the risk of colorectal cancer in Stockholm, Sweden. *Cancer Epidemiol Biomarkers Prev* 1996; 5: 897-900

92.Provenzale D, Kowdley KV, Arora S, Wong JB: Prophylactic colectomy or surveillance for chronic ulcerative colitis? A decision analysis. *Gastroenterology* 1995; 109: 1188-96

93.Read TE, Read JD, Butterly LF: Importance of adenomas 5 mm or less in diameter that are detected by sigmoidoscopy. *N Engl J Med* 1997; 336: 8-12

94.Rex DK, Cutler CS, Lemmel GT, et al.: Colonoscopic miss rates of adenomas determined by back-to-back colonoscopies. *Gastroenterology* 1997; 112: 24-8

95.Rex DK, Rahmani EY, Haseman JH, Lemmel GT, Kaster S, Buckley JS: Relative sensitivity of colonoscopy and barium enema for detection of colorectal cancer in clinical practice. *Gastroenterology* 1997; 112: 17-23

96.Roberts-Thomson IC, Ryan P, Khoo KK, Hart WJ, McMichael AJ, Butler RN: Diet, acetylator phenotype, and risk of colorectal neoplasia. *Lancet* 1996; 347: 1372-4

97.Rodriguez-Bigas MA, Boland CR, Hamilton SR, et al.: A National Cancer Institute Workshop on Hereditary Nonpolyposis Colorectal Cancer Syndrome: meeting highlights and Bethesda guidelines. *J Natl Cancer Inst* 1997; 89: 175-62.

98.Rosenberg L, Louik C, Shapiro S: Nonsteroidal antiinflammatory drug use and reduced risk of large bowel carcinoma. *Cancer* 1998; 82: 2326-9.

99.Rozen P, Fireman Z, Figer A, Legum C, Ron E, Lynch HT: Family history of colorectal cancer as a marker of potential malignancy within a screening program. *Cancer* 1987; 60: 248-54

100.Schoen RE, Corle D, Cranston L, et al.: Is colonoscopy needed for the nonadvanced adenoma found on sigmoidoscopy? The Polyp Prevention Trial. *Gastroenterology* 1998; 115: 533-41

101.Selbmann HK: Entwicklung von Leitlinien in der Medizin - Kunst oder Können? *Chirurg* 1996; 35: 61-5

102.Selby JV, Friedman GD, Quesenberry CP, Weiss NS: A case-control study of screening sigmoidoscopy and mortality from colorectal cancer. *N Engl J Med* 1992; 326: 653-7

103.Shibata A, Paganini-Hill A, Ross RK, Henderson BE: Intake of vegetables, fruits, beta-carotene, vitamin C and vitamin supplements and cancer incidence among the elderly: a prospective study. *Br J Cancer* 1992; 66: 673-9

104.Slattery ML, Boucher KM, Caan BJ, Potter JD, Ma KN: Eating patterns and risk of colon cancer. *Am J Epidemiol* 1998; 148: 4-16

105.Slattery ML, Schumacher MC, Smith KR, West DW, Abd-Elghany N: Physical activity, diet, and risk of colon cancer in Utah. *Am J Epidemiol* 1988; 128: 989-99

106.Sondergaard JO, Bulow S, Lynge E: Cancer incidence among parents of patients with colorectal cancer. *Int J Cancer* 1991; 47: 202-6

107.Soravia C, Berk T, Madlensky L, et al.: Genotype-phenotype correlations in attenuated adenomatous polyposis coli. *Am J Hum Genet* 1998; 62:1290-1301

108.St John DJ, McDermott FT, Hopper JL, Debney EA, Johnson WR, Hughes ES: Cancer risk in relatives

of patients with common colorectal cancer. *Ann Int Med* 1993; 118: 785-90

109. Stahelin HB, Gey KF, Eichholzer M, Ludin E: Beta-carotene and cancer prevention: the Basel Study. *Am J Clin Nutr* 1991; 53(1 Suppl): 265S-269S

110. Statistisches Bundesamt: Statistisches Jahrbuch 1998. Stuttgart: Metzler-Poeschel, 1998

111. Stefansson T, Ekborn A, Sørensen P, Pahlman L: Cancers among patients diagnosed as having diverticular disease of the colon. *Eur J Surg* 1995; 161: 755-60

112. Towler B, Irwig L, Glasziou P, Kewenter J, Weller D, Silagy C: A systematic review of the effects of screening for colorectal cancer using the faecal occult blood test, hemoccult. *BMJ* 1998; 317: 559-65

113. van Stolck RU, Beck GJ, Baron JA, Haile R, Summers R: Adenoma characteristics at first colonoscopy as predictors of adenoma recurrence and characteristics at follow-up. The Polyp Prevention Study Group. *Gastroenterology* 1998; 115: 13-8

114. Vasen HF, Bülow S, Myrhøj T, et al.: Decision analysis in the management of duodenal adenomatosis in familial adenomatous polyposis. *Gut* 1997; 40: 716-9

115. Vasen HF, Mecklin JP, Khan PM, Lynch HT: The International Collaborative Group on Hereditary Non-Polyposis Colorectal Cancer (ICG-HNPCC). *Dis Colon Rectum* 1991; 34: 424-5

116. Vider BZ, Zimber A, Chastre E, et al.: Evidence for the involvement of the Wnt 2 gene in human colorectal cancer. *Oncogene* 1996; 12: 153-8

117. Volk EE, Goldblum JR, Petras RE, Carey WD, Fazio VW: Management and outcome of patients with invasive carcinoma arising in colorectal polyps. *Gastroenterology* 1995; 109: 1801-7

118. Wallace MB, Kemp JA, Trnka YM, Donovan JM, Farraye FA: Is colonoscopy indicated for small adenomas found by screening flexible sigmoidoscopy? *Ann Intern Med* 1998; 129: 273-8

119. West DW, Slattery ML, Robinson LM, et al.: Dietary intake and colon cancer: sex- and anatomic site-specific associations. *Am J Epidemiol* 1989; 130: 883-94

120. Willett WC, Stampfer MJ, Colditz GA, Rosner BA, Speizer FE: Relation of meat, fat and fiber intake to the risk of colon cancer in a prospective study among women. *N Engl J Med* 1990; 323: 1664-72

121. Winawer SJ: Follow-up after polypectomy. *World J Surg* 1991; 15: 25-8

122. Winawer SJ: Appropriate intervals for surveillance. *Gastrointest Endosc* 1999; 49: S63-6

123. Winawer SJ, Flehinger BJ, Schottenfeld D, Miller DG: Screening for colorectal cancer with fecal occult blood testing and sigmoidoscopy. *J Natl Cancer Inst* 1993; 85: 1311-8

124. Winawer SJ, Fletcher RH, Miller L, et al.: Colorectal cancer screening: clinical guidelines and rationale. *Gastroenterology* 1997; 112: 594-642

125. Winawer SJ, O'Brien MJ, Waye JD, et al.: Risk and surveillance of individuals with colorectal polyps. WHO Collaborating Centre for the Prevention of Colorectal Cancer. *Bull World Health Organ* 1990; 68: 789-95

126. Winawer SJ, St John DJ, Bond JH, et al.: Guidelines for the prevention of colorectal cancer: update based on new data. World Health Organization Collaborating Center for the Prevention of Colorectal Cancer. *Z Gastroenterol* 1995; 33: 574-6

127. Winawer SJ, St John DJ, Bond JH, et al.: Prevention of colorectal cancer: guidelines based on new data. WHO Collaborating Center for the Prevention of Colorectal Cancer. *Bull World Health Organ* 1995; 73: 7-10

128. Winawer SJ, St John DJ, Bond JH, et al.: Aktualisierte WHO-Richtlinien zur Früherkennung des kolorektalen Karzinoms. *Leber Magen Darm* 1996; 26: 139-43

129. Winawer SJ, Zauber AG, Gerdes H, et al.: Risk of colorectal cancer in the families of patients with adenomatous polyps. National Polyp Study Workgroup. *N Engl J Med* 1996; 334: 82-7

130. Winawer SJ, Zauber AG, Ho MN, et al.: Prevention of colorectal cancer by colonoscopic polypectomy. The National Polyp Study Workgroup. *N Engl J Med* 1993; 329: 1977-81

131. Winawer SJ, Zauber AG, O'Brien MJ, et al.: Randomized comparison of surveillance intervals after colonoscopic removal of newly diagnosed adenomatous polyps. The National Polyp Study Workgroup. *N Engl J Med* 1993; 328: 901-6

132. Winde G, Schmid KW, Schlegel W, Fischer R, Osswald H, Bunte H: Complete reversion and prevention of rectal adenomas in colectomized patients with familial adenomatous polyposis by rectal low-dose sulindac maintenance treatment. Advantages of low-dose nonsteroidal anti-inflammatory drug regimen in reversing adenomas exceeding 33 months. *Dis Colon Rectum* 1995; 38: 813-30

133. Winther JF, Dreyer L, Overvad K, Tjønneland A, Gerhardsson de Verdier M: Avoidable cancers in the Nordic countries. Diet, obesity and low physical activity. *APMIS Suppl.* 1997; 76: 100-19

134. Woolf SH: Practice guidelines, a new reality in medicine. II. Methods of developing guidelines. *Arch Intern Med* 1992; 152: 946-52

135. World Cancer Research Fund, American Institute for Cancer Research. Food, nutrition and the prevention of cancer: a global perspective. 1997

136. Zarchy TM, Ershoff D: Do characteristics of adenomas on flexible sigmoidoscopy predict advanced lesions on baseline colonoscopy? *Gastroenterology* 1994; 106: 1501-4

137. Zauber AG, Winawer SJ: Initial management and follow-up surveillance of patients with colorectal adenomas. *Gastroenterol Clin North Am* 1997; 26: 85-101

[\[Start Leitlinien\]](#) [\[» Asthma\]](#) [\[» Kopfschmerzen\]](#) [\[» Hypertonie\]](#) [\[» Otitis media\]](#) [\[» Gallensteine\]](#) [\[» Herzinsuffizienz\]](#)
[\[» Demenz\]](#) [\[» Harnwegsinfekt\]](#) [\[» KR-Karzinom\]](#) [\[Algorithmus\]](#) [\[Volltext\]](#) [\[Referenzen\]](#) [\[Patientenleitlinie\]](#)
[\[Impressum / ©\]](#) [\[» Dekubitus\]](#) [\[Ihre Meinung?\]](#) [\[Interne Infos\]](#)

Schon bekannt? Testen Sie Ihr Wissen und sammeln Sie CME-Punkte mit [Medizinerwissen.de](#)

© Medizinisches Wissensnetzwerk [evidence.de](#) der Universität Witten/Herdecke [Patienten...](#)

Update:17/06/05  [u-ko.de](#)