

## Otitis media Referenzen

&dopt=Abstract

### Literatur, Referenzen der Leitlinie Otitis media

1.AHCPR, S.L. Merkel, M.J. Van Meter, AHCPR guideline: pain management. Ohio Nurses Rev, 1993. 68(2): p. 12. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=8469514](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8469514)

2.AHRQ, A.f.H.R.a.Q., Management of Acute Otitis Media. 2001. Publication No. 01-E010. Link: <http://www.ahcpr.gov/clinic/otmedinv.htm>

3.AKdAE, ARZNEIMITTELKOMMISSION, D.D. ÄRZTESCHAFT, Empfehlungen zur Therapie akuter Infekte der oberen Atemwege und Bronchitiden einschließlich akuter Infektionen im HNO-Bereich Inhaltlich abgestimmt mit der Deutschen Gesellschaft für Pneumologie (DGP). AVP-Sonderheft Therapieempfehlungen 1. Auflage, Dezember 1999, 1999. Link: [http://www.akdae.de/Homepage/THERAPIE/Aktuell/Te\\_atem.pdf](http://www.akdae.de/Homepage/THERAPIE/Aktuell/Te_atem.pdf)

4.Alho OP, K.P., Luotonen J . Diagnostic criteria for otitis media in children. Otorhinolaryngol Nova 8:123-28, 1999.  
Evidenzklasse: IV

5.Arola, M., et al., Clinical role of respiratory virus infection in acute otitis media. Pediatrics, 1990. 86(6): p. 848-55. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=2174535&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2174535&dopt=Abstract)  
Evidenzklasse: III

6.Baker, B.R., Is ear pulling associated with ear infection? Pediatrics 90(6):, 1992: p. 1006-7.

7.Berman, S., Otitis media in children. N Engl J Med, 1995. 332(23): p. 1560-5. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=7739711&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7739711&dopt=Abstract)

8. Bertin , L., et al., A randomized, double-blind, multicentre controlled trial of ibuprofen versus acetaminophen and placebo for symptoms of acute otitis media in children. Fundam Clin Pharmacol, 1996. 10(4): p. 387-92. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=8871138&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8871138&dopt=Abstract)  
Evidenzklasse: Ib

9.Bootz, F., HNO- Erkrankungen in der Pädiatrie. 1995.

10.Burke, P., et al., Acute red ear in children: controlled trial of non-antibiotic treatment in general practice. Bmj, 1991. 303(6802): p. 558-62. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=1912887&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1912887&dopt=Abstract)  
Evidenzklasse: IIa

11.Celin, S.E., Bluestone, C.D., Stephenson, J., Yilmaz, H.M. and Collins, J.J., Bacteriology of acute otitis media in adults. JAMA, 1991. 266: p. 2249-2252.  
Evidenzklasse: III

12.Clinical-evidence, O.N.P., Acute otitis media: Treatment. Likely to be beneficial. 2001. Clinical evidence( 5: 183). Link: <http://www.clinicalevidence.com>

13.Cohen, M.L., Epidemiology of drug resistance: implications for a post-antimicrobial era. *Science*, 1992. 257 (5073): p. 1050-5. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=1509255&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1509255&dopt=Abstract)

14.Dagan, R., Pneumococcal otitis media - the nasopharyngeal connection. Program and abstracts of 40th Interscience Conference on Antimicrobial Agents & Chemotherapy. September 17-20, 2000; Toronto, Ontario, Canada. Abstract 1967., 2000.  
Evidenzklasse: III

15.Dagan, R., Treatment of acute otitis media - challenges in the era of antibiotic resistance. *Vaccine*, 2000. 19 Suppl 1: p. S9-S16. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=11163457&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11163457&dopt=Abstract)

16.Damoiseaux, R.A., et al., Antibiotic treatment of acute otitis media in children under two years of age: evidence based? *Br J Gen Pract*, 1998. 48(437): p. 1861-4. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=10198511&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10198511&dopt=Abstract)  
Evidenzklasse: Ia

17.Del Mar C, G., P. and Hayem, M., Are antibiotics indicated as initial treatment for children with acute otitis media? A meta-analysis. *British Medical Journal*, 1997. 314: p. 1526-1529.  
Evidenzklasse: Ia

18.Del Mar C, G.P., Should we now hold back from initially prescribing antibiotics for acute otitis media? *J Paediatr Child Health*, 1999. 35: p. 9-10.  
Evidenzklasse: III

19.DGPI, D.G.f.p.l.e.V., DGPI-Handbuch. 2000: Futuramed Verlag, München.  
Evidenzklasse: IV

20.Dowell SF, et al., Otitis Media: Principles of Judicious Use of Antimicrobial Agents. *Pediatrics*, 1998. 101 Supplement: p. 165-171.

21.Dowell, S.F., B. Schwartz, W.R. Phillips, Appropriate use of antibiotics for URIs in children: Part I. Otitis media and acute sinusitis. The Pediatric URI Consensus Team. *Am Fam Physician*, 1998. 58(5): p. 1113-8, 1123. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=9787277&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9787277&dopt=Abstract)

22.Duodecim, H.J.P., Otitis media Guideline Duodecim. EBMG duodecim, Finland, 1998. Link: [www.ebm-guidelines.com](http://www.ebm-guidelines.com)  
Evidenzklasse: IV

23.Engelhard, D., et al., Randomised study of myringotomy, amoxycillin/clavulanate, or both for acute otitis media in infants. *Lancet*, 1989. 2(8655): p. 141-3. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=2567903&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2567903&dopt=Abstract)  
Evidenzklasse: Ib

24.Finitzo, T., et al., Tympanometry and otoscopy prior to myringotomy: issues in diagnosis of otitis media. *Int J Pediatr Otorhinolaryngol*, 1992. 24(2): p. 101-10. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=1428589&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1428589&dopt=Abstract)  
Evidenzklasse: III

25.Flynn, C.A., G. Griffin, F. Tudiver, Decongestants and antihistamines for acute otitis media in children. *Cochrane Database Syst Rev*, 2001. 2. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=11406002&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11406002&dopt=Abstract)  
<http://www.update-software.com/abstracts/ab001727.htm>

Evidenzklasse: Ia

26.Froom, J., et al., Diagnosis and antibiotic treatment of acute otitis media: report from International Primary Care Network. *Bmj*, 1990. 300(6724): p. 582-6. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=2108756&dopt=Abs tract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2108756&dopt=Abs tract)  
Evidenzklasse: III

27.Froom, J., et al., Antimicrobials for acute otitis media? A review from the International Primary Care Network. *Bmj*, 1997. 315(7100): p. 98-102. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=9240050&dopt=Abs tract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9240050&dopt=Abs tract)  
Evidenzklasse: III

28.Glasziou, P., H. Longbottom, Evidence-based public health practice. *Aust N Z J Public Health*, 1999. 23(4): p. 436-40. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=10462873&dopt=Ab stract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10462873&dopt=Ab stract)  
Evidenzklasse: Ia

29.Glasziou, P.P., et al., Antibiotics for acute otitis media in children (Cochrane Review). *Cochrane Database Syst Rev*, 2002. 2. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=11034677&dopt=Ab stract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11034677&dopt=Ab stract)  
<http://www.update-software.com/abstracts/ab000219.htm>  
Evidenzklasse: Ia

30.Glenn S, T.M., Chan LS, Shekell P, Morton SC, Wilbert M, Marcy SM, Evidence Assesment of Management of Acute Otitis Media: I. The Role of Antibiotics in Treatment of Uncomplicated Acute Otitis Media. *Pediatrics*, 2001. 108: p. 239-47.

31.Going, J.A., Common upper respiratory infections in ambulatory practice: otitis media. *J S C Med Assoc*, 2001. 97(1): p. 33-6. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=11227254&dopt=Ab stract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11227254&dopt=Ab stract)

32.Heikkinen, T., M. Thint, T. Chonmaitree, Prevalence of various respiratory viruses in the middle ear during acute otitis media. *N Engl J Med*, 1999. 340(4): p. 260-4. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=9920949&dopt=Abs tract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9920949&dopt=Abs tract)  
Evidenzklasse: III

33.Helwig, H., *Pädiatrische Praxis. pädiat. prax.*, 2000. 58: p. 259-74.  
Evidenzklasse: IV

34.Hoberman, A., et al., Efficacy of Auralgan for treating ear pain in children with acute otitis media. *Arch Pediatr Adolesc Med*, 1997. 151(7): p. 675-8. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=9232040&dopt=Abs tract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9232040&dopt=Abs tract)  
Evidenzklasse: Ib

35.Hyde, T.B., et al., Macrolide resistance among invasive *Streptococcus pneumoniae* isolates. *Jama*, 2001. 286(15): p. 1857-62. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=11597287&dopt=Ab stract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11597287&dopt=Ab stract)  
Evidenzklasse: III

36.ICD-10, Auszug aus „Internationale statistische Klassifikation der Krankheiten und verwandter Gesundheitsprobleme in der 10. Revision (ICD-10)“ [ICD-10-SGB-V, Version 2.0].

37.ICSI, Diagnosis and treatment of otitis media in children. 2001. <http://www.icsi.org/guide/Otitis.pdf>

38.Kaleida, P.H., et al., Amoxicillin or myringotomy or both for acute otitis media: results of a randomized clinical trial. *Pediatrics*, 1991. 87(4): p. 466-74. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=2011422&dopt=Abs tract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2011422&dopt=Abs tract)  
Evidenzklasse: Ib

39.Karma, P.H., et al., Otolaryngologic diagnosis of middle ear effusion in acute and non-acute otitis media. I. The value of different otoscopic findings. *Int J Pediatr Otorhinolaryngol*, 1989. 17(1): p. 37-49. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=2707977&dopt=Abs tract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2707977&dopt=Abs tract)  
Evidenzklasse: III

40.Kemphorne, J., G.S. Giebink, Pediatric approach to the diagnosis and management of otitis media. *Otolaryngol Clin North Am*, 1991. 24(4): p. 905-29. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=1870882&dopt=Abs tract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=1870882&dopt=Abs tract)

41.Klein, J.O., Epidemiology of otitis media. *Pediatr Infect Dis J*, 1989. 8(1 Suppl): p. S9. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=2927983&dopt=Abs tract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=2927983&dopt=Abs tract)  
Evidenzklasse: IV

42.Kligman, *Twenty Common Problems in Primary Care*, ed. W. BD. 1999, New York City: McGraw-Hill. 123-144.

+

43.Kozyrskyj, A.L., et al., Short course antibiotics for acute otitis media (Cochrane Review). *Cochrane Database Syst Rev*, 2001. 2.  
Evidenzklasse: Ia

44.Lesko, S.M., et al., Asthma morbidity after the short-term use of ibuprofen in children. *Pediatrics*, 2002. 109(2): p. E20. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=11826230&dopt=Ab stract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11826230&dopt=Ab stract)  
<http://www.pediatrics.org/cgi/content/full/109/2/e20> <http://www.pediatrics.org/cgi/content/abstract/109/2/e20>  
Evidenzklasse: Ib

45.Lesko, S.M., A.A. Mitchell, An assessment of the safety of pediatric ibuprofen. A practitioner- based randomized clinical trial. *Jama*, 1995. 273(12): p. 929-33. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=7884951&dopt=Abs tract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7884951&dopt=Abs tract)  
Evidenzklasse: Ib

46.Lesko, S.M., A.A. Mitchell, The safety of acetaminophen and ibuprofen among children younger than two years old. *Pediatrics*, 1999. 104(4): p. e39. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=10506264&dopt=Ab stract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10506264&dopt=Ab stract)  
Evidenzklasse: Ib

47.Little, P., et al., Pragmatic randomised controlled trial of two prescribing strategies for childhood acute otitis media. *Bmj*, 2001. 322(7282): p. 336-42. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=11159657&dopt=Ab stract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11159657&dopt=Ab stract)  
<http://bmj.com/cgi/content/full/322/7282/336>  
Evidenzklasse: Ib

48.Majeed, A., T. Harris, Acute otitis media in children. *Bmj*, 1997. 315(7104): p. 321-2. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=9270442&dopt=Abs tract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9270442&dopt=Abs tract)  
Evidenzklasse: IV

49.Marchant, C.D., et al., Course and outcome of otitis media in early infancy: a prospective study. *J Pediatr*, 1984. 104(6): p. 826-31. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=6539373&dopt=Abs tract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6539373&dopt=Abs tract)  
Evidenzklasse: III

50.NZGG, N.Z.G.G., Acute otitis media. 2000. Link:

[www.nzgg.org.nz/library/gj\\_complete/otolaryn\\_aom/evidence\\_summary.cfm](http://www.nzgg.org.nz/library/gj_complete/otolaryn_aom/evidence_summary.cfm)

51.Ostfeld, E., Temporal bone collections in Europe and the United States. *Ann Otol Rhinol Laryngol*, 1988. 97 (1): p. 96. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=3341711&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3341711&dopt=Abstract)

52.Pichichero, M.E., M.D. Poole, Assessing diagnostic accuracy and tympanocentesis skills in the management of otitis media. *Arch Pediatr Adolesc Med*, 2001. 155(10): p. 1137-42. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=11576009&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=11576009&dopt=Abstract)  
Evidenzklasse: Ib

53.Prodigy, P.C.R., Prodigy Clinical Recommendation - Acute otitis media. 2001. Department of Health UK 1998, 1999, 2000, 2001. Link: <http://www.prodigy.nhs.uk>  
Evidenzklasse: IV

54.Rosenfeld, R.M., et al., Clinical efficacy of antimicrobial drugs for acute otitis media: metaanalysis of 5400 children from thirty-three randomized trials. *J Pediatr*, 1994. 124(3): p. 355-67. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=8120703&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8120703&dopt=Abstract)  
Evidenzklasse: Ia

55.Rudberg, Acute otitis media: comparative therapeutic results of sulphonamide and penicillin administered in various forms. *Acta Otolaryngol*, 1954. 113: p. 1-79.

56.Ruuskanen, O., T. Heikkinen, Otitis media: etiology and diagnosis. *Pediatr Infect Dis J*, 1994. 13(1 Suppl 1): p. S23-6; discussion S50-4. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=8159511&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8159511&dopt=Abstract)  
Evidenzklasse: IV

57.Schaad, U.B., Pädiatrische Infektiologie. 1997: Marseille, München. 271-9.  
Evidenzklasse: IV

58.Schachtel, B.P., W.R. Thoden, A placebo-controlled model for assaying systemic analgesics in children. *Clin Pharmacol Ther*, 1993. 53(5): p. 593-601. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=8491069&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8491069&dopt=Abstract)  
Evidenzklasse: Ib

59.SMAC, S.D.o.H.U., Standing Medical Advisory Committee-Subgroup on anti-microbial resistance. 1998.

60.Sugita, R., Fujimaki, Y. and Deguchi, K., Bacteriological features and chemotherapy of adult acute purulent otitis media. *Journal of Laryngology & Otology*, 1985. 99: p. 629-635.  
Evidenzklasse: III

61.Teele, D.W., J.O. Klein, B.A. Rosner, Epidemiology of otitis media in children. *Ann Otol Rhinol Laryngol Suppl*, 1980. 89(3 Pt 2): p. 5-6. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=6778349&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6778349&dopt=Abstract)  
Evidenzklasse: III

62.Uhari, M., T. Kontiokari, M. Niemela, A novel use of xylitol sugar in preventing acute otitis media. *Pediatrics*, 1998. 102(4 Pt 1): p. 879-84. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=9755259&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=9755259&dopt=Abstract)

63.Uhari, M., K. Mantysaari, M. Niemela, A meta-analytic review of the risk factors for acute otitis media. *Clin Infect Dis*, 1996. 22(6): p. 1079-83. Link: <http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?>

[cmd=Retrieve&db=PubMed&list\\_uids=8783714&dopt=Abs tract](#)

Evidenzklasse: Ia

64.van Buchem, F.L., J.H. Dunk, M.A. van't Hof, Therapy of acute otitis media: myringotomy, antibiotics, or neither? A double-blind study in children. *Lancet*, 1981. 2(8252): p. 883-7. Link:

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=6117681&dopt=Abs tract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=6117681&dopt=Abs tract)

Evidenzklasse: Ib

65.van Buchem, F.L., M.F. Peeters, M.A. van 't Hof, Acute otitis media: a new treatment strategy. *Br Med J (Clin Res Ed)*, 1985. 290(6474): p. 1033-7. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=3921097&dopt=Abs tract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=3921097&dopt=Abs tract)

[cmd=Retrieve&db=PubMed&list\\_uids=3921097&dopt=Abs tract](#)

Evidenzklasse: III

66.Weiss, J.C., G.R. Yates, L.D. Quinn, Acute otitis media: making an accurate diagnosis. *Am Fam Physician*, 1996. 53(4): p. 1200-6. Link: [http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=8629566&dopt=Abs tract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8629566&dopt=Abs tract)

[cmd=Retrieve&db=PubMed&list\\_uids=8629566&dopt=Abs tract](#)

Evidenzklasse: IV

67.Williams, R.L., et al., Use of antibiotics in preventing recurrent acute otitis media and in treating otitis media with effusion. A meta-analytic attempt to resolve the brouhaha. *Jama*, 1993. 270(11): p. 1344-51. Link:

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=8141875&dopt=Abs tract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=8141875&dopt=Abs tract)

Evidenzklasse: Ia

68. Little, P., et al., Predictors of poor outcome and benefits from antibiotics in children with acute otitis media: pragmatic randomised trial. *Bmj*, 2002. 325(7354): p. 22; discussion 22. Link:

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=12098725&dopt=Ab stract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=12098725&dopt=Ab stract)

Evidenzklasse: Ib

69. Damoiseaux, R.A., et al., Primary care based randomised, double blind trial of amoxicillin versus placebo for acute otitis media in children aged under 2 years. *Bmj*, 2000. 320(7231): p. 350-4. Link:

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=10657332&dopt=Ab stract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=10657332&dopt=Ab stract)

Evidenzklasse: Ib

### Zusätzliche Literatur

Appelman CLM, Claessen JQPJ, Touw-Otten FWMM, et al. "Co-amoxiclav in recurrent otitis media: placebo controlled study." *BMJ* 303:1450-2, 1991.

Bollag U, Bollag-Albrecht E. "Recommendations derived from practice audit for the treatment of acute otitis media." *Lancet* 338:96-99, 1991.

Browning GG. "Childhood otalgia: acute otitis media." *BMJ* 300:1005-7, 1990.

Burke P, Bain J, Robinson D, et al. "Acute red ear in children: controlled trial of non-antibiotic treatment in general practice." *BMJ* 303:558-62, 1991

Claessen JQPJ, Appelman CLM, Touw-Otten FWMM, et al. "A review of clinical trials regarding treatment of acute otitis media." *Clin Otolaryngol* 17:251-57, 1992

Dowell SF, Butler JC, Giebink GS, et al. "Acute otitis media: management and surveillance in an era of pneumococcal resistance - a report from the Drug-resistant *Streptococcus pneumoniae* Therapeutic Working Group." *Pediatr Infect Dis J* 18:1-9, 1999

Feldman W, Richardson H, Rennie B, et al. "A trial comparing cefaclor with cotrimoxazole in the treatment of acute otitis media." *Arch Dis Child* 57:594-96, 1982.

Kaleida PH, Casselbrant ML, Rockette HE, et al. "Amoxicillin or myringotomy or both for acute otitis media: results of a randomized clinical trial." *Pediatrics* 87:466-74, 1991.

Odio CM, Kusmiesz H, Shelton S, et al. "Comparative treatment trial of augmentin versus cefaclor for acute otitis media with effusion." *Pediatrics* 75:819-26, 1985.

Pichichero ME. "Assessing the treatment alternatives for acute otitis media." *Pediatr Infect Dis J* 13:S27-34,1994

Stool SE, Field MJ: The impact of otitis media. *Pediatr Infect Dis J* 1989; 8 (1 Suppl): 11-4

Teele DW, Klein JO, Rosner B: Epidemiology of otitis media during the first seven years of life in children in grate Boston: a prospective cohort study. *J Infect Dis* 1989; 160:83-84

Weiss JC, Melman ST. "Cost effectiveness in the choice of antibiotics for the initial treatment of otitis media in children: a decision analysis approach." *Pediatr Infect Dis J* 7:23-26,1988.

[\[Start Leitlinien\]](#) [\[» Asthma\]](#) [\[» Kopfschmerzen\]](#) [\[» Hypertonie\]](#) [\[» Otitis media\]](#) [\[Algorithmus\]](#) [\[Haupttext\]](#)  
[\[Hintergründe\]](#) [\[Referenzen\]](#) [\[Patientenleitlinie\]](#) [\[Impressum\]](#) [\[» Gallensteine\]](#) [\[» Herzinsuffizienz\]](#) [\[» Demenz\]](#)  
[\[» Harnwegsinfekt\]](#) [\[» KR-Karzinom\]](#) [\[» Dekubitus\]](#) [\[Ihre Meinung?\]](#) [\[Interne Infos\]](#)

Schon bekannt? Testen Sie Ihr Wissen und sammeln Sie CME-Punkte mit [Medizinerwissen.de](#)

© Medizinisches Wissensnetzwerk [evidence.de](#) der Universität Witten/Herdecke [Patienten...](#)

Update:17/06/05 